


333.95
F2v
1981

VERTEBRATE
SPECIES
OF
SPECIAL
CONCERN



PLEASE RETURN

MAMMALS

BIRDS

STATE DOCUMENTS COLLECTION

REPTILES

APR 16 1981

AMPHIBIANS

MONTANA STATE LIBRARY
930 E Lynndale Ave.
Helena, Montana 59601

FISHES

Prepared by Dennis L. Flath, Nongame Biologist,
WILDLIFE DIVISION, MONTANA DEPARTMENT OF FISH,
WILDLIFE AND PARKS - JANUARY, 1981

MSU SEP 2 '81

FEB 9 1983

AUG 3 1983

600 6 100

MAY 16 1983

Montana State Library

3 0864 1006 2797 8

VERTEBRATE SPECIES
OF SPECIAL INTEREST OR CONCERN

MAMMALS

BIRDS

REPTILES


AMPHIBIANS

FISHES

PREPARED BY: DENNIS L. FLATH, NONGAME BIOLOGIST


WILDLIFE DIVISION
MONTANA DEPARTMENT OF FISH, WILDLIFE AND PARKS

JANUARY, 1981



INDEX


| | Page |
|----------------------------|------|
| INTRODUCTION | 1 |
| LITERATURE CITED | 7 |
| COUNTY INVENTORIES | |
| Beaverhead | 8 |
| Bighorn | 8 |
| Blaine | 9 |
| Broadwater | 9 |
| Carbon | 10 |
| Carter | 10 |
| Cascade | 11 |
| Chouteau | 11 |
| Custer | 12 |
| Daniels | 12 |
| Dawson | 13 |
| Deer Lodge | 13 |
| Fallon | 14 |
| Fergus | 14 |
| Flathead | 15 |
| Gallatin | 15 |
| Garfield | 16 |
| Glacier | 16 |
| Golden Valley | 17 |
| Granite | 17 |
| Hill | 18 |
| Jefferson | 18 |
| Judith Basin | 19 |
| Lake | 19 |
| Lewis and Clark | 20 |
| Liberty | 20 |
| Lincoln | 21 |
| Madison | 21 |
| McCone | 22 |
| Meagher | 22 |
| Mineral | 23 |
| Missoula | 23 |
| Musselshell | 24 |
| Park | 24 |
| Petroleum | 25 |
| Phillips | 25 |
| Pondera | 26 |
| Powder River | 26 |
| Powell | 27 |
| Prairie | 27 |
| Ravalli | 28 |
| Richland | 28 |
| Roosevelt | 29 |
| Rosebud | 29 |
| Sanders | 30 |
| Sheridan | 30 |




| | |
|-----------------------|----|
| Silver Bow | 31 |
| Stillwater | 31 |
| Sweetgrass | 32 |
| Teton | 32 |
| Toole | 33 |
| Treasure | 33 |
| Valley | 34 |
| Wheatland | 34 |
| Wibaux | 35 |
| Yellowstone | 35 |

LATILONG INVENTORIES

| | |
|-----------------------|----|
| Latilong 1 | 36 |
| Latilong 2 | 36 |
| Latilong 3 | 37 |
| Latilong 4 | 37 |
| Latilong 5 | 38 |
| Latilong 6 | 38 |
| Latilong 7 | 39 |
| Latilong 8 | 39 |
| Latilong 9 | 40 |
| Latilong 10 | 40 |
| Latilong 11 | 41 |
| Latilong 12 | 41 |
| Latilong 13 | 42 |
| Latilong 14 | 42 |
| Latilong 15 | 43 |
| Latilong 16 | 43 |
| Latilong 17 | 44 |
| Latilong 18 | 44 |
| Latilong 19 | 45 |
| Latilong 20 | 45 |
| Latilong 21 | 46 |
| Latilong 22 | 46 |
| Latilong 23 | 47 |
| Latilong 24 | 47 |
| Latilong 25 | 48 |
| Latilong 26 | 48 |
| Latilong 27 | 49 |
| Latilong 28 | 49 |
| Latilong 29 | 50 |
| Latilong 30 | 50 |
| Latilong 31 | 51 |
| Latilong 32 | 51 |
| Latilong 33 | 52 |
| Latilong 34 | 52 |
| Latilong 35 | 53 |
| Latilong 36 | 53 |
| Latilong 37 | 54 |
| Latilong 38 | 54 |
| Latilong 39 | 55 |
| Latilong 40 | 55 |



| | Page |
|----------------------------------|------|
| Latilong 41 | 56 |
| Latilong 42 | 56 |
| Latilong 43 | 57 |
| Latilong 44 | 57 |
| Latilong 45 | 58 |
| Latilong 46 | 58 |
| Latilong 47 | 59 |
| APPENDIX | |
| I. Montana Mammals | 61 |
| II. Montana Birds | 66 |
| III. Montana Reptiles | 69 |
| IV. Montana Amphibians | 70 |
| V. Montana Fishes | 71 |



INTRODUCTION

This 1981 listing of species of special interest or concern incorporates a number of changes from previous issues. For the first time, it was felt necessary to include game as well as nongame species. This was largely due to the fact that several quite rare fish species are legally classified as "game," and also due to a desire to achieve a degree of consistency with other western states in classifying the status of wildlife species.

Changes were made in the format of this booklet to accommodate the reader. County inventories now appear in alphabetical order, rather than by county number sequence. Each species that is known or suspected to occur in a particular county or latilong has its listing accompanied by abbreviated annotations under three different headings. References to potential occurrence and former range have been deleted. Abbreviations used in the inventories are defined below.

Occurrence Definitions

Known: A species whose occurrence has been documented by collection of a specimen or reliable observation provided that such data was acquired since the most recent occurrence of events which could have served to eliminate the subject species.

Susp. (Suspected): A species believed to occur, but which has not been documented by a specimen or reliable observation since the most recent occurrence of events which could have served to eliminate the subject species.

Breed. (Breeding): A bird species which has been documented as having produced eggs or young.

Breed? (Breeding?): A bird species which is suspected of breeding, but for which production of eggs or young has not been documented.

Trans. (Transient): A bird species which has been known to occur in a nonbreeding status. This includes the usually accepted terms of accidental and migrant, as well as winter occurrence.

Status Definitions

End. (Endangered): A species which is in danger of extinction, and which appears on either the United States list of endangered species pursuant to Section 4, of the Endangered Species Act of 1973, as amended; or appears on the Montana list of endangered species pursuant to Section 87-5-107; R.C.M.

Thr. (Threatened): A species which is likely to become an endangered species within the foreseeable future, and which appears on the United States list of threatened species pursuant to Section 4 of the Endangered Species Act of 1973, as amended.

Periph. (Peripheral): A species whose total range within the state is restricted to not more than five counties. Bird species are considered peripheral if known and suspected breeding occurs in not more than five latilongs.

Rare: A species which is seldom encountered during the course of investigations utilizing techniques which could reasonably be expected to reveal the presence of the subject species. Also included is an assessment of expected frequency of occurrence compared to observed frequency of occurrence.

Com. (Common): A species which is frequently encountered during the course of investigations utilizing techniques which could reasonably be expected to reveal the presence of the subject species.

Also included is an assessment of expected frequency of occurrence compared to observed frequency of occurrence.

Undet. (Undetermined): A species for which available data and knowledge are insufficient to properly assess the status of the subject species.

Added Concerns Definitions

CITES: A species which appears on any of the appendices to the Convention on International Trade in Endangered Species, as amended.

Sens. (Sensitive): A species which is judged particularly vulnerable to disturbance or habitat loss due to natural or man-caused factors.

Hab. (Habitat): A species which is judged to be faced with imminent loss, destruction or adverse modification of primary essential habitat.

Un. (Unique): A species which provides essential ecological values to other forms of wildlife, such values generally not being available in the absence of the species.

Red. (Reduced): A species which exists at a population level less than one half the former population level, or whose range is less than one half the former range.

The following discussions, by taxa, pertain only to those forms of wildlife which are considered as being of special interest or concern. The county and latilong inventories should be considered a means of highlighting certain species for data acquisition and subsequent management efforts. In some cases it is anticipated that additional data accumulation will result in a determination of "secure" status. In other cases, it is hoped that field studies will point the way to necessary and appropriate management actions.

MAMMALS

Twenty-seven species of mammals are considered as being of special interest or concern. General distribution is based primarily on information provided by Burt and Grossenheider (1964), Hoffman and Pattie (1968), Hoffman, Pattie and Bell (1969), Hoffman, Wright and Newby (1969), and Lampe, et al. (1974).

The long-legged bat (*Myotis volans*) has been deleted from these inventories. Field observations have indicated that the species is more widespread than formerly thought (Swenson and Shanks 1979), and is apparently quite abundant in some areas.

INSECTIVORA: Four species are considered:

| | |
|-----------------|------------------------|
| Merrim's shrew | <i>Sorex merriami</i> |
| Prebble's shrew | <i>Sorex preblei</i> |
| Dwarf shrew | <i>Sorex niger</i> |
| Pygmy shrew | <i>Microsorex hoyi</i> |

All species are quite rare, with only *S. preblei* enjoying a wide distribution within the state. New locations for *S. merriami* and *S. preblei* have recently been determined by Dood (1980) and Flath (unpub. data).

Although never recorded in Montana, the Arctic shrew (*Sorex arcticus*) and the short-tailed shrew (*Blarina brevicauda*) could possibly occur in the northeastern portion of the state (Hoffman and Pattie 1968).

CHIROPTERA: Six species are considered:

| | |
|------------------|----------------------------|
| Keen's bat | <i>Myotis keenii</i> |
| * California bat | <i>Myotis californicus</i> |
| * Fringed bat | <i>Myotis thysanodes</i> |
| * Spotted bat | <i>Euderma maculatum</i> |
| * Big-eared bat | <i>Macrotus townsendii</i> |
| * Pallid bat | <i>Antrozous pallidus</i> |

M. californicus has only been recorded from extreme western Montana (Hoffman, Pattie and Bell 1969). However, its taxonomic position as indicated by Findley (1972), its use of habitat types, and its sympatricity with the Least bat (*M. leibii*) (Bogart 1975) all indicate that this species could be more widespread in Montana.

The Spotted bat (*Euderma maculatum*) has only been recorded once for Montana (Nicholson 1950). A review of the habitat requirements of *Euderma* by Snow (1974) and Barbour and Davis (1969) suggest that suitable habitat for this species is present in Montana just south of the only collection site (Billings). A survey of the bat fauna in the Pryors has never been made, yet this is the area most likely to harbor *Euderma*.

Both Hall and Kelson (1959) and Barbour and Davis (1969) have indicated that Keen's bat (*Myotis keenii*) occurs along the eastern boundary of Montana. Hoffman, Pattie and Bell (1969) state there are no records of this species from Montana. Recently, Swenson and Shanks (1979) have documented the occurrence of Keen's bat in eastern Montana.

The Pallid bat has recently been recorded for Montana. A single specimen was mist-netted in south-central Carbon County in 1978 (Shryer and Flath 1980).

There is also a slight possibility that the Red bat (*Lasiurus borealis*) may be found in eastern Montana (Hoffman and Pattie 1968).

RODENTIA: Eight species are considered:

| | |
|--------------------------|-----------------------------|
| Hairy marmot | <i>Marmota flaviventris</i> |
| Black-tailed prairie dog | <i>Cynomys ludovicianus</i> |
| White-tailed prairie dog | <i>Cynomys leucurus</i> |
| Uinta chipmunk | <i>Eutamias amoenus</i> |
| Great Basin pocket mouse | <i>Perognathus parvus</i> |
| Hispida pocket mouse | <i>Perognathus hispidus</i> |

| | |
|----------------------|----------------------------|
| Northern bog lemming | <i>Synaptomys borealis</i> |
| Meadow jumping mouse | <i>Zapus hudsonius</i> |

Wright (pers. comm.) has indicated that a single specimen of *Synaptomys borealis* was recently taken in Missoula County. Additional data on the occurrence of *Zapus hudsonius* has been provided by Matthews (1979 and 1980).

CARNIVORA: Eight species are considered:

| | |
|---------------------|---------------------------|
| Grizzly bear | <i>Ursus arctos</i> |
| Fisher | <i>Martes pennanti</i> |
| Black-footed ferret | <i>Mustela nigripes</i> |
| Wolverine | <i>Gulo gulo</i> |
| Spotted skunk | <i>Spilogale gracilis</i> |
| Swift fox | <i>Vulpes velox</i> |
| Wolf | <i>Canis lupus</i> |
| Lynx | <i>Lynx lynx</i> |

Both the black-footed ferret and the wolf are listed as endangered species, while the grizzly bear is listed as threatened. Currently, there are two ongoing studies of grizzly bears, one each in the Bob Marshall and Yellowstone ecosystems. Ferret and wolf studies have been deferred.

The fisher, wolverine, swift fox and lynx are all classified as furbearers under Montana law. Seasons allow for taking of one each of wolverine and lynx by licensed trappers. Both the fisher and swift fox are completely protected by closed seasons.

Expansion of the wolverine's range in Montana has been documented by Newby and Wright (1955) and Newby and McDougal (1964). Hornocker and Hash (1981) have compiled data on population density and habitat utilization of wolverines in northwestern Montana.

The swift fox has generally been regarded as extinct in Montana (Hoffman, Wright and Newby 1969). McDaniel (pers. comm.), however, has demonstrated an increase in this species in Nebraska and South Dakota. More recently Sharps (pers. comm.) has studied swift foxes in South Dakota and believes the species is increasing. In March, 1978 an adult male swift fox was taken in southwestern Custer County (Moore and Martin 1980). Additional survey and inventory work is needed to ascertain the status of the swift fox in Montana.

ARTIODACTYLA: One species is considered:

Caribou *Rangifer tarandus*

Although currently classified as a game species, the caribou is not hunted and considered extinct in Montana for all practical purposes.

The last reliable sighting of caribou in Montana occurred in 1971.

BIRDS

Twenty-nine species of birds have been identified as being of special interest or concern. The Swainson's hawk and mountain bluebird have been deleted. Field observations of both species reveal apparently strong populations and good productivity. It is felt that research and management attention should be focused on other species whose status is less clear, or which are judged to be in greater need of attention. Additions or deletions of other bird species may occur as additional information on their status is compiled.

Distribution and inventory data for birds are based primarily on Skaar (1980), although many individuals throughout the state have provided input.

ANSERIFORMES: One species is considered:

Harlequin duck *Histrionicus histrionicus*

FALCONIFORMES: Nine species are considered:

| | |
|------------------|---------------------------------|
| Goshawk | <i>Accipiter gentilis</i> |
| Cooper's hawk | <i>Accipiter cooperii</i> |
| Ferruginous hawk | <i>Buteo regalis</i> |
| Golden eagle | <i>Aquila chrysaetos</i> |
| Bald eagle | <i>Haliaeetus leucocephalus</i> |
| Osprey | <i>Pandion haliaetus</i> |
| Prairie falcon | <i>Falco sparverius</i> |
| Peregrine falcon | <i>Falco peregrinus</i> |
| Pigeon hawk | <i>Falco columbarius</i> |

GRUIFORMES: One species is considered:

Whooping crane *Grus americana*

CHARADRIIFORMES: Three species are considered:

| | |
|--------------------|-----------------------------|
| Mountain plover | <i>Charadrius montanus</i> |
| Long-billed curlew | <i>Numenius phaeopus</i> |
| Upland sandpiper | <i>Bartramia longicauda</i> |

STRIGIFORMES: Six species are considered:

| | |
|----------------|-----------------------------|
| Pygmy owl | <i>Glaucidium gnoma</i> |
| Burrowing owl | <i>Speotyto cunicularia</i> |
| Barred owl | <i>Strix varia</i> |
| Great gray owl | <i>Strix nebulosa</i> |
| Long-eared owl | <i>Asio otus</i> |
| Saw-whet owl | <i>Aegolius acadicus</i> |

PICIFORMES: One species is considered:

Pileated woodpecker *Dryocopus pileatus*

PASSERIFORMES: Eight species are considered:

| | |
|------------------------|---------------------------|
| Olive-sided flycatcher | <i>Myiarchus borealis</i> |
| Eastern bluebird | <i>Sialia sialis</i> |

| | |
|----------------------|------------------------------|
| Western bluebird | <i>Sialia mexicana</i> |
| Bobolink | <i>Dolichonyx oryzivorus</i> |
| Dickcissel | <i>Spiza americana</i> |
| Clay-colored sparrow | <i>Spizella pallida</i> |
| Brewer's sparrow | <i>Spizella breweri</i> |
| Field sparrow | <i>Spizella pusilla</i> |

REPTILES

Five species of reptiles have been identified as being of special interest or concern.

Distribution and inventory data are based on Carl (1960), Stebbins (1966), Davis and Weeks (1963) and Brunson (pers. comm.).

TESTUDINATA: Two species are considered:

| | |
|-----------------|----------------------------|
| Snapping turtle | <i>Chelydra serpentina</i> |
| Spiny softshell | <i>Trionyx spiniferus</i> |

SQUAMATA (Serpentes): Three species are considered:

| | |
|----------------------|--------------------------------|
| Smooth green snake | <i>Ophryodes vernalis</i> |
| Milk snake | <i>Lampropeltis triangulum</i> |
| Plains hognose snake | <i>Heterodon nasicus</i> |

All three species of snakes are very rare in Montana. Black and Bragg (1968) indicated that the smooth green snake may occur in northeastern Montana. Distribution of the milk snake needs to be clarified since McEneaney and Jensen (1974) reported the species for the Charles M. Russell National Wildlife Range. This is far outside the range outlined by Davis and Weeks (1963).

AMPHIBIANS

Six species have been identified as being of special interest or

concern. Their distributions are based primarily on Black (1970), Stebbins (1966), Carl (1966) and Brunson (pers. comm.).

CAUDATA: Three species are considered:

| | |
|--------------------------|----------------------------|
| Rough-skinned newt | <i>Taricha granulosa</i> |
| Coeur d'Alene salamander | <i>Plethodon vanduzeei</i> |
| Pacific giant salamander | <i>Dicamptodon ensatus</i> |

One recent observation of *Taricha* in Sanders County has added this species, even though a specimen is not available.

It is questionable whether or not *Dicamptodon* occurs in Montana. Black (1970) states "There are few records of their occurrence in Montana." Brunson (pers. comm.), however, maintains that this species does not occur in Montana and that published records of its occurrence are mistaken. Stebbins (1966) states that it occurs in the "Rocky Mountains of Idaho and Montana." His reference to collection sites, however, are all in Idaho.

A neotenic form of the tiger salamander (*Ambystoma tigrinum*) will be encountered on occasion. These are known as "axolotls," which retain external gills throughout the life cycle. Axolotls could be encountered in any body of permanent water which lies near the upper altitudinal limit of the tiger salamander. Axolotls should be considered of special interest or concern, even though the tiger salamander is not. Axolotl distribution is unknown, and does not appear in the county inventories.

SALIENTIA: Three species are considered:

| | |
|-------------|------------------------|
| Tailed frog | <i>Ascaphus truei</i> |
| Dakota toad | <i>Bufo hemiophrys</i> |
| Wood frog | <i>Rana sylvatica</i> |

R. sylvatica has recently been found in Beaverhead County, and Dunlap (1977) has recorded the species for the Big Horn Mountains of Wyoming.

FISHES

Brown (1971) has summarized available knowledge on the distribution and abundance of Montana fishes. More extensive distributional data, particularly for peripheral species, is presented by Lee, et al. (1980).

Both the blue sucker and the creek chub have been found to be more abundant than previously thought. Since they appear to be quite secure in Montana, they have been deleted here. The sicklefin chub is included due to discovery of a population in the Missouri River.

Other additions included here are game fishes which are considered of special interest or concern by the Fisheries Division, Montana Department of Fish, Wildlife and Parks (Holton 1980).

Altogether, thirteen species are considered:

| | |
|-------------------|---------------------------------|
| White sturgeon | <i>Acipenser transmontanus</i> |
| Pallid sturgeon | <i>Scaphirhynchus albus</i> |
| Paddlefish | <i>Polyodon spathula</i> |
| Shortnose gar | <i>Lepisosteus platostomus</i> |
| Cutthroat trout | <i>Salmo clarki</i> |
| Rainbow trout | <i>Salmo gairdneri</i> |
| Arctic grayling | <i>Thymallus arcticus</i> |
| Finescale dace | <i>Phoxinus neogaeus</i> |
| Sturgeon chub | <i>Hybopsis gelida</i> |
| Sicklefin chub | <i>Hybopsis meeki</i> |
| Trout-perch | <i>Percopeltis omiscomaycus</i> |
| Shorthead sculpin | <i>Cottus confusus</i> |
| Spoonhead sculpin | <i>Cottus ricei</i> |

LITERATURE CITED


- Barbour, R. W. and W. H. Davis. 1969. Bats of America. The University Press of Kentucky, Lexington, Kentucky. 286 pp.
- Black, J. H. 1970. Amphibians of Montana. Montana Wildlife, January, 1970. 32 pp.
- , and A. N. Bragg. 1968. New additions to the herptofauna of Montana. Herpetologica 24(3):247.
- Bogart, M. A. 1975. Geographic variation in *Myotis californicus* in the Southwestern United States and Mexico. U.S. Fish and Wild. Serv. Wildl. Res. Rep. #3. 31 pp.
- Brown, C. J. D. 1971. Fishes of Montana. Big Sky Books, Bozeman, Montana. 207 pp.
- Brunson, R. B. 1974. Personal Communication.
- Burt, W. H. and R. P. Grossenheider. 1964. A field guide to the mammals. Riverside Press, Cambridge, Massachusetts. 284 pp.
- Carl, G. C. 1960. The reptiles of British Columbia. British Columbia Provincial Museum, Victoria, B. C. 65 pp.
- . 1966. The amphibians of British Columbia. British Columbia Provincial Museum, Victoria, B. C. 63 pp.
- Davis, C. V. and S. E. Weeks. 1963. Montana snakes. Montana Wildlife, August, 1963. 11 pp.
- Dood, A. R. 1980. Terry Badlands nongame survey and inventory. Final Report. Mont. Dep. of Fish, Wildl. and Parks. 70 pp.
- Dunlap, D. G. 1977. Wood and western spotted frogs (Amphibia, Anura, Ranidae) in the Big Horn Mountains of Wyoming. Herpetol. 11(1):85-87.
- Findley, J. S. 1972. Phenetic relationships among bats of the genus *Myotis*. Syst. Zool. 21:31-52.
- Hall, E. R. and K. R. Kelson. 1959. The mammals of North America. Ronald Press, New York, 1:xxx + 1-546 + 79 and 2:vii + 547-1083 + 79.
- Hoffman, R. S. and D. L. Pattie. 1968. A guide to Montana mammals: identification, habitat, distribution and abundance. Univ. Montana Print. Serv. 133 pp.
- , D. L. Pattie, and J. F. Bell. 1969. The distribution of some mammals in Montana. II. Bats. J. Mamm. 50:737-741.
- , P. L. Wright, and F. E. Newby. 1969. The distribution of some mammals in Montana. I. Mammals other than bats. J. Mamm. 50:579-604.
- Holton, G. 1980. The riddle of existence: fishes of "special concern." Mont. Outdoors 11(1):2-6, 26.
- Hornocker, M. and H. Hash. 1981. Ecology of the wolverine in northwestern Montana. Can. J. Zool. In press.
- Lampe, R. P., J. K. Jones, Jr., R. S. Hoffman, and E. C. Birney. 1974. The mammals of Carter County, southeastern Montana. Occas. Pap., Mus. Nat. Hist., Univ. Kans. 25:1-39.
- Lee, D. S., C. R. Gilbert, C. H. Hocutt, R. E. Jenkins, D. E. McAllister and J. R. Stauffer, Jr. 1980. Atlas of North American freshwater fishes. N. Car. Biol. Sur. Pub. #1980-12, N. Car. State Mus. Nat. Hist. x + 854 pp.
- Matthews, W. C. 1979. Wibaux-Beach wildlife baseline study - nongame species. Bur. Land Manage., Miles City, Montana. 93 pp.
- . 1980. Wibaux-Beach comparison study: Sidney, Glendive and Plevna study areas. Bur. Land Manage., Miles City, Montana. 50 pp.
- McDaniel, L. 1975. Personal Communication.
- McEneaney, T. and J. Jensen. 1974. The reptiles and amphibians of the Charles M. Russell National Wildlife Range. 3 pp. Mimeo.
- Moore, R. E. and N. S. Martin. 1980. A recent record of the swift fox (*Vulpes velox*) in Montana. J. Mamm. 61(1):161.
- Newby, F. E. and P. L. Wright. 1955. Distribution and status of the wolverine in Montana. J. Mamm. 36:248-253.
- , and J. J. McDougal. 1964. Range extension of the wolverine in Montana. J. Mamm. 45:485-487.
- Nicholson, A. J. 1950. A record of the spotted bat (*Euderma maculatum*) for Montana. J. Mamm. 31:480-482.
- Sharps, J. 1978. Personal Communication.
- Shryer, J. and D. L. Flath. 1980. First record of the pallid bat (*Antrozous pallidus*) from Montana. Great Basin Nat. 40(2):115.
- Skaar, P. D. 1980. Montana bird distribution. Second edition. Privately printed. 66 pp.
- Snow, Carol. 1974. Habitat management series for endangered species #4: Spotted bat (*Euderma maculatum*). BLM Technical Note. 13 pp.
- Stebbins, R. C. 1966. A field guide to western reptiles and amphibians. The Riverside Press, Cambridge, Massachusetts. 279 pp.
- Swenson, J. E. and G. F. Shanks, Jr. 1979. Noteworthy records of bats from northeastern Montana. J. Mamm. 60(3):650-652.
- Wright, P. L. 1980. Personal Communication.

BEAVERHEAD

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Preble shrew | Susp. | Undet. | None |
| Fringed bat | Susp. | Rare | None |
| Big-eared bat | Known | Undet. | Sens. |
| Grizzly bear | Known | Rare, Thr. | CITES, Hab., Red. |
| Wolverine | Known | Rare | None |
| Spotted skunk | Known | Rare, Periph. | None |
| Wolf | Known | Rare, End. | CITES, Red. |
| Lynx | Known | Undet. | CITES |
| Hoary marmot | Known | Com. | None |
| Great Basin pocket mouse | Known | Rare, Periph. | None |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | Hab. |
| Wood frog | Known | Rare, Periph. | None |
| FISHES: | | | |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |

CO


BIRDS:
Refer to latilongs



BIGHORN

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Merriam shrew | Known | Rare | None |
| Preble shrew | Susp. | Undet. | None |
| Spotted bat | Susp. | Rare, Periph. | Sens. |
| Big-eared bat | Known | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens. |
| Black-tailed prairie dog | Known | Com. | Hab., Red. |
| REPTILES: | | | |
| Snapping turtle | Known | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Known | Rare | None |
| Milk snake | Known | Rare | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Paddlefish | Known | Com. | None |

BIRDS:
Refer to latilongs




BLAINE

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|-----------------|-----------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Pringle shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Lynx | Known | Undet | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Rare | None |
| AMPHIBIANS: | | | |
| Dakota toad | Known | Periph. | None |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Finescale dace | Susp. | Rare | None |
| Sicklefin chub | Known | Undet., Periph. | None |


BROADWATER

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Dwarf shrew | Susp. | Undet. | None |
| Pringle shrew | Susp. | Undet. | None |
| Fringed bat | Susp. | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Wolverine | Known | Rare | None |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | Hab. |
| FISHES: | | | |
| None | | | |

BIRDS:
Refer to latilongs




BIRDS:
Refer to latilongs



CARBON

| | | | Added Concerns |
|--------------------------|------------|-----------------|--------------------------|
| | Occurrence | Status | |
| MAMMALS: | | | |
| Merriam shrew | Known | Rare | None |
| Dwarf shrew | Known | Rare | None |
| Prairie shrew | Susp. | Undet. | None |
| Spotted bat | Susp. | Rare, Periph. | Sens. |
| Big-eared bat | Known | Undet. | Sens. |
| Pallid bat | Known | Rare, Periph. | None |
| Grizzly bear | Susp. | Rare, Thr. | CITES, Hab., Red. |
| Black-tailed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Wolverine | Known | Rare | None |
| Spotted skunk | Known | Rare, Periph. | None |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| White-tailed prairie dog | Known | Com., Periph. | None |
| Uinta chipmunk | Known | Undet., Periph. | None |
| REPTILES: | | | |
| Milk snake | Known | Rare | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |


BIRDS:
Refer to latilongs



CARTER

| | | Added Concerns |
|--------------------------|------------|-------------------|
| | Occurrence | Status |
| MAMMALS: | | |
| Merriam shrew | Known | Rare |
| Big-eared bat | Known | Undet. |
| Black-footed ferret | Known | Rare, End. |
| Swift fox | Susp. | Undet. |
| Black-tailed prairie dog | Known | Com. |
| Hispid pocket mouse | Known | Rare, Periph. |
| Meadow jumping mouse | Known | Rare |
| REPTILES: | | |
| Snapping turtle | Known | Undet. |
| Spiny softshell | Known | Sens. |
| Plains hognose | Susp. | Undet. |
| Milk snake | Susp. | Undet. |
| AMPHIBIANS: | | |
| None | | |
| FISHES: | | |
| None | | |


BIRDS:
Refer to latilongs



CASCADE

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|--------|----------------|
| MAMMALS: | | | |
| Dwarf shrew | Susp. | Undet. | None |
| Pribble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Wolverine | Susp. | Undet. | None |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Finescale dace | Susp. | Rare | None |


BIRDS:
Refer to latilongs



CHOTEAU

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|--------|----------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Pribble shrew | Susp. | Undet. | None |
| Dwarf shrew | Known | Rare | None |
| Big-eared bat | Known | Undet. | Sens. |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Snapping turtle | Susp. | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Finescale dace | Susp. | Rare | None |


BIRDS:
Refer to latilongs



CUSTER

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|--------------------------|
| MAMMALS: | | | |
| Merriam shrew | Known | Rare | None |
| Preble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Swift fox | Known | Rare | CITES, Hab., Red. |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| Meadow jumping mouse | Susp. | Undet. | None |
| REPTILES: | | | |
| Snapping turtle | Known | Com. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | | Com. | None |
| Sturgeon chub | Known | Rare | None |


BIRDS:
Refer to latilongs



DANIELS

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|-----------------|----------------|
| MAMMALS: | | | |
| Preble shrew | Susp. | Undet. | None |
| Black-tailed prairie dog | Susp. | Undet. | Un., Red. |
| REPTILES: | | | |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS | | | |
| Dakota toad | Known | Undet., Periph. | None |
| FISHES: | | | |
| Paddlefish | Known | Com. | None |

BIRDS:
Refer to latilongs



DAWSON


| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|----------------|
| MAMMALS: | | | |
| Herriman shrew | Susp. | Undet. | None |
| Preble shrew | Known | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Keen's bat | Susp. | Rare, Periph. | None |
| Black-tailed prairie dog | Known | Com. | Un. Red. |
| Meadow jumping mouse | Susp. | Undet. | None |
| REPTILES: | | | |
| Snapping turtle | Known | Com. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Sturgeon chub | Known | Rare | None |

13


DEER LODGE

| | Occurrence | Status | Added Concerns |
|--------------------|------------|--------|-------------------|
| MAMMALS: | | | |
| Preble shrew | Susp. | Undet. | None |
| Fringed bat | Susp. | Rare | None |
| Big-eared bat | Susp. | Undet. | None |
| Wolverine | Known | Rare | None |
| Lynx | Susp. | Undet. | CITES |
| Hoary marmot | Known | Com. | None |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Known | Com. | Hab. |
| FISHES: | | | |
| Cutthroat trout | Known | Com. | Red. |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |

BIRDS:
Refer to latilongs




BIRDS:
Refer to latilongs



FALLON


| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|--------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| Meadow jumping mouse | Susp. | Undet. | None |
| REPTILES: | | | |
| Snapping turtle | Susp. | Com. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |



BIRDS:
Refer to latilongs

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|-----------------|--------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Dwarf shrew | Susp. | Undet. | None |
| Prairie shrew | Known | Rare | None |
| Big-eared bat | Known | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Snapping turtle | Known | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| Milk snake | Known | Rare | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Finscale dace | Susp. | Rare | None |
| Sicklefin chub | Known | Undet., Periph. | None |

BIRDS:
Refer to latilongs




FLATHEAD

| | Occurrence | Status | Added | Concerns |
|----------------------|-------------------|---------------|-------------------|-----------------|
| MAMMALS: | | | | |
| Fringy shrew | Known | Periph. | None | |
| California bat | Known | Rare | None | |
| Big-eared bat | Known | Udet. | Sens. | |
| Grizzly bear | Known | Com., Thr. | CITES, Hab., Red. | |
| Fisher | Known | Com. | None | |
| Wolverine | Known | Com. | None | |
| Wolf | Known | Rare, End. | CITES, Red. | |
| Lynx | Known | Udet. | CITES | |
| Hoary marmot | Known | Com. | None | |
| Northern bog lemming | Known | Rare | None | |
| Caribou | Susp. | Rare, Periph. | Sens., Hab. | |
| REPTILES: | | | | |
| None | | | | |
| AMPHIBIANS: | | | | |
| Tailed frog | Known | Com. | Hab. | |
| Wood frog | Susp. | Udet. | None | |
| FISHES: | | | | |
| Gutthroat trout | Known | Com. | Red. | |
| Arctic grayling | Known | Com. | Sens., Hab., Red. | |
| Shorthead sculpin | Known | Rare, Periph. | None | |


GALLATIN

| | Occurrence | Status | Added | Concerns |
|--------------------|-------------------|---------------|-------------------|-----------------|
| MAMMALS: | | | | |
| Dwarf shrew | Susp. | Udet. | None | |
| Freble shrew | Susp. | Udet. | None | |
| Fringed bat | Susp. | Rare | None | |
| Big-eared bat | Susp. | Udet. | Sens. | |
| Grizzly bear | Known | Com., Thr. | CITES, Hab., Red. | |
| Wolverine | Known | Com. | None | |
| Spotted skunk | Known | Rare, Periph. | None | |
| Lynx | Known | Udet. | CITES | |
| REPTILES: | | | | |
| None | | | | |
| AMPHIBIANS: | | | | |
| Tailed frog | Susp. | Udet. | Hab. | |
| FISHES: | | | | |
| Arctic grayling | Known | Com. | Sens., Hab., Red. | |

BIRDS:
Refer to latilongs



BIRDS:
Refer to latilongs




GARFIELD

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|--------|-------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Freble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Snapping turtle | Susp. | Undet. | Sens. |
| Spiny softshell | Susp. | Undet. | Sens. |
| Plains hognose | Susp. | Rare | None |
| Milk snake | Susp. | Rare | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Finescale dace | Susp. | Rare | None |


GLACIER

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|-------------------|
| MAMMALS: | | | |
| Freble shrew | Known | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Grizzly bear | Known | Com., Thr. | CITES, Hab., Red. |
| Wolverine | Known | Com. | None |
| Wolf | Known | Rare, End. | CITES, Red. |
| Lynx | Known | Undet. | CITES |
| Black-tailed prairie dog | Susp. | Undet. | Un., Red. |
| Hoary marmot | Known | Com. | None |
| Northern bog lemming | Susp. | Undet. | None |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | Hab. |
| Dakota toad | Susp. | Periph. | None |
| Wood frog | Susp. | Periph. | None |
| FISHES: | | | |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |
| Finescale dace | Susp. | Rare | None |
| Trout-perch | Known | Rare, Periph. | None |
| Spoonhead sculpin | Known | Rare, Periph. | None |

BIRDS:
Refer to latilongs




BIRDS:
Refer to latilongs



GOLDEN VALLEY


| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Dwarf shrew | Known | Rare | None |
| Preble shrew | Known | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |



GRANITE

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| California bat | Susp. | Rare | None |
| Fringed bat | Susp. | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Fisher | Susp. | Undet. | None |
| Wolverine | Known | Com. | None |
| Lynx | Susp. | Undet. | CITES |
| Hoary marmot | Known | Com. | None |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Known | Com. | Hab. |
| FISHES: | | | |
| Cutthroat trout | Known | Com. | Red, |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |

BIRDS:
Refer to latilongs




(36)

HILL

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|---------------------------|
| MAMMALS: | | | |
| Merriam shrew | Known | Rare | None |
| Freble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Susp. | Undet. | Un., Red. |
| REPTILES: | | | |
| Plains bognose | Known | Rare | None |
| AMPHIBIANS: | | | |
| Dakota toad | Known | Periph. | None |
| FISHES: | | | |
| None | | | |


BIRDS:
Refer to latilongs



JEFFERSON

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|--------|-------------------|
| MAMMALS: | | | |
| Fringe shrew | Susp. | Undet. | None |
| Brid-eared bat | Known | Rare | None |
| Wolverine | Known | Undet. | Sens. |
| Lynx | Susp. | Com. | None |
| Black-tailed prairie dog | Known | Undet. | CITES |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | Hab. |
| FISHES: | | | |
| None | | | |


BIRDS:
Refer to latilongs



JUDITH BASIN

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|--------|----------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Dwarf shrew | Susp. | Undet. | None |
| Freble shrew | Known | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Wolverine | Known | Undet. | None |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |


BIRDS:
Refer to latilongs



LAKE

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|-------------------|
| MAMMALS: | | | |
| Pygmy shrew | Known | Periph. | None |
| California bat | Susp. | Rare | None |
| Big-eared bat | Known | Undet. | Sens. |
| Grizzly bear | Known | Com., Thr. | CITES, Heb., Red. |
| Fisher | Known | Undet. | None |
| Wolverine | Known | Com. | None |
| Lynx | Susp. | Undet. | CITES |
| Hoary marmot | Known | Com. | None |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Known | Com. | Hab. |
| Coeur d'Alene Salamander | Known | Rare, Periph. | None |
| FISHES: | | | |
| Cutthroat trout | Known | Com. | Red. |

BIRDS:
Refer to latilong



LEWIS AND CLARK


| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|-------------------|
| MAMMALS: | | | |
| Preble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Grizzly bear | Known | Com., thr. | CITES, Hab., Red. |
| Wolverine | Known | Com. | None |
| Wolf | Known | Rare, End. | CITES, Red. |
| Lynx | Known | Undet. | CITES |
| Hairy marmot | Known | Com. | None |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | Hab. |
| FISHES: | | | |
| Cutthroat trout | Known | Com. | Red. |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |

LIBERTY


| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------|-------------------|
| MAMMALS: | | | |
| Preble shrew | Susp. | Undet. | None |
| Dwarf shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Lynx | Known | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| Dakota toad | Known | Periph. | None |
| FISHES: | | | |
| Paddlefish | Known | Com. | None |
| Fine-scale dace | Susp. | Rare | None |

20

BIRDS:
Refer to latilongs



BIRDS:
Refer to latilongs




LINCOLN

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Pygmy shrew | Known | Periph. | None |
| California bat | Susp. | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Grizzly bear | Known | Rare, Thr. | CITES, Hab., Red. |
| Fisher | Susp. | Undet. | None |
| Wolverine | Known | Com. | None |
| Wolf | Known | Rare, End. | CITES, Red. |
| Lynx | Known | Undet. | CITES |
| Hoary marmot | Known | Com. | None |
| Northern bog lemming | Susp. | Rare, Periph. | None |
| Caribou | Susp. | Rare, Periph. | Hab. |
| REPTILES: None | | | |
| AMPHIBIANS: | | | |
| Coeur d'Alene salamander | Known | Rare, Periph. | Hab. |
| Tailed frog | Known | Undet. | Hab. |
| Wood frog | Susp. | Periph. | None |
| FISHES: | | | |
| White sturgeon | Known | Rare, Periph. | Sens., Hab., Red. |
| Cutthroat trout | Known | Com. | Red. |
| Rainbow trout | Known | Rare, Periph. | None |


MADISON

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Preble shrew | Susp. | Undet. | None |
| Fringed bat | Susp. | Rare | None |
| Big-eared bat | Known | Undet. | Sens. |
| Grizzly bear | Known | Rare, Thr. | CITES, Hab., Red. |
| Wolverine | Known | Com. | None |
| Spotted skunk | Known | Rare, Periph. | None |
| Wolf | Susp. | Rare, End. | CITES, Red. |
| Lynx | Susp. | Undet. | CITES |
| Great Basin pocket mouse | Susp. | Periph. | None |
| REPTILES: None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | Hab. |
| FISHES: | | | |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |

BIRDS:
Refer to latilongs



BIRDS:
Refer to latilongs




Mc CONE

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Merriam shrew | Known | Rare | None |
| Preble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Snapping turtle | Susp. | Undet. | Sens. |
| Spiny softshell | Susp. | Undet. | Sens. |
| Plains hognose | Known | Rare | None |
| Milk snake | Susp. | Rare | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Shortnose gar | Known | Rare, Periph. | None |
| Finescale dace | Susp. | Rare | None |


MEAGHER

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Dwarf shrew | Susp. | Undet. | None |
| Preble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Wolverine | Known | Com. | None |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Susp. | Undet. | Un., Red. |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |

BIRDS:
Refer to latilongs




BIRDS:
Refer to latilongs




| MINERAL | | | | MISSOULA | | | |
|--------------------------|------------|---------|----------------|--------------------|------------|------------|-------------------|
| | Occurrence | Status | Added Concerns | | Occurrence | Status | Added Concerns |
| MAMMALS: | | | | | | | |
| California bat | Susp. | Rare | None | California bat | Susp. | Rare | None |
| Fringed bat | Susp. | Rare | None | Fringed bat | Known | Rare | None |
| Hip-eared bat | Susp. | Undet. | Sens. | Hip-eared bat | Known | Undet. | Sens. |
| Fisher | Known | Undet. | None | Grizzly bear | Known | Com., Thr. | CITES, Hab., Red. |
| Wolverine | Susp. | Com. | None | Fisher | Known | Undet. | None |
| Lynx | Known | Undet. | CITES | Wolverine | Known | Com. | None |
| Hoary marmot | Known | Com. | None | Lynx | Known | Undet. | CITES |
| REPTILES: | | | | | | | |
| None | | | | Hoary marmot | Known | Com. | None |
| AMPHIBIANS: | | | | | | | |
| Pacific giant salamander | Susp. | Periph. | None | REPTILES: | | | |
| Couer "Alene salamander | Known | Periph. | None | None | | | |
| Tailed frog | Known | Com. | Hab. | AMPHIBIANS: | | | |
| FISHES: | | | | | | | |
| Cutthroat trout | Known | Com. | Red. | Tailed frog | Known | Com. | Hab. |
| | | | | FISHES: | | | |
| | | | | Cutthroat trout | Known | Com. | Red. |
| | | | | Arctic grayling | Known | Com. | Sens., Hab., Red. |

BIRDS:
Refer to latilongs




BIRDS:
Refer to latilong



MUSSELSHELL

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|-----------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Dwarf shrew | Susp. | Undet. | None |
| Prebble shrew | Susp. | Undet. | None |
| Big-eared bat | Known | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Lynx | Known | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Snapping turtle | Susp. | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Known | Rare | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |


BIRDS:
Refer to latilongs



PARK

| | Occurrence | Status | Added Concerns |
|-----------------|------------|-----------------|-------------------|
| MAMMALS: | | | |
| Dwarf shrew | Susp. | Undet. | None |
| Preble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Grizzly bear | Known | Com., Thr. | CITES, Hab., Red. |
| Wolverine | Known | Com. | None |
| Wolf | Susp. | Rare, End. | CITES, Red. |
| Lynx | Known | Undet. | CITES |
| Uinta chipmunk | Known | Undet., Periph. | None |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |


BIRDS:
Refer to latilongs



PETROLEUM

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|-----------------------------|
| MAMMALS: | | | |
| Merriam shrew | Known | Rare | None |
| Pribble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Snapping turtle | Known | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Known | Undet. | None |
| Milk snake | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Finescale dace | Susp. | Rare | None |

BIRDS:
Refer to latilongs



PHILLIPS

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|-----------------|-----------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Pribble shrew | Known | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| Meadow jumping mouse | Susp. | Undet. | None |
| REPTILES: | | | |
| Snapping turtle | Known | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Known | Rare | None |
| Milk snake | Susp. | Rare | None |
| AMPHIBIANS: | | | |
| Dakota toad | Known | Rare, Periph. | None |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Finescale dace | Susp. | Rare | None |
| Sicklefin chub | Known | Undet., Periph. | None |

BIRDS:
Refer to latilongs




PONDERA

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|-------------------|
| MAMMALS: | | | |
| Freble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Grizzly bear | Known | Com., Thr. | CITES, Hab., Red. |
| Wolverine | Susp. | Undet. | None |
| Wolf | Known | Rare, End. | CITES, Red. |
| Lynx | Known | Undet. | CITES |
| Hoary marmot | Known | Undet. | None |
| Black-tailed prairie dog | Susp. | Undet. | Un., Red. |
| REPTILES: | | | |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | Hab. |
| FISHES: | | | |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |


POWDER RIVER

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|-----------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Big-eared bat | Known | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Swift fox | Susp. | Undet. | CITES, Hab., Red. |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| Mountain jumping mouse | Susp. | Undet. | None |
| REPTILES: | | | |
| Snapping turtle | Known | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| Mill snake | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |

BIRDS:
Refer to lat/longs



BIRDS:
Refer to lat/longs




POWELL

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|-------------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| <i>Peromyscus maniculatus</i> | Susp. | Udet. | None |
| <i>Fringed bat</i> | Susp. | Rare | None |
| <i>Big-eared bat</i> | Susp. | Udet. | Sens. |
| <i>Grizzly bear</i> | Known | Com., Thr. | CITES, Hab., Red. |
| <i>Fisher</i> | Known | Com. | None |
| <i>Wolverine</i> | Known | Com. | None |
| <i>Wolf</i> | Susp. | Rare, End. | CITES, Red. |
| <i>Lynx</i> | Susp. | Udet. | CITES |
| <i>Hoary marmot</i> | Known | Com. | None |
| REPTILES: | | | |
| <i>None</i> | | | |
| AMPHIBIANS: | | | |
| <i>Tailed frog</i> | Known | Udet. | Hab. |
| FISHES: | | | |
| <i>Cutthroat trout</i> | Known | Com. | Red. |
| <i>Shortnose sculpin</i> | Known | Rare, Periph. | None |


PRAIRIE

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|---------------------------------|-------------------|---------------|--------------------------|
| MAMMALS: | | | |
| <i>Merriam shrew</i> | Susp. | Udet. | None |
| <i>Peromyscus maniculatus</i> | Susp. | Udet. | None |
| <i>Big-eared bat</i> | Susp. | Udet. | Sens. |
| <i>Black-footed ferret</i> | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| <i>Black-tailed prairie dog</i> | Known | Com. | Un., Red. |
| <i>Meadow jumping mouse</i> | Susp. | Udet. | None |
| REPTILES: | | | |
| <i>Snapping turtle</i> | Known | Com. | Sens. |
| <i>Spiny softshell</i> | Known | Udet. | Sens. |
| <i>Plains hognose</i> | Susp. | Udet. | None |
| AMPHIBIANS: | | | |
| <i>None</i> | | | |
| FISHES: | | | |
| <i>Pallid sturgeon</i> | Known | Rare | Sens. |
| <i>Paddlefish</i> | Known | Com. | None |
| <i>Sturgeon chub</i> | Known | Rare | None |

BIRDS:
Refer to lat/longs



BIRDS:
Refer to lat/longs



RAVALLI

MAMMALS:

| | Occurrence | Status | Added Concerns |
|----------------|------------|---------------|-------------------|
| California bat | Known | Rare | None |
| Fringed bat | Known | Rare | None |
| Big-eared bat | Known | Undet. | Sens. |
| Grizzly bear | Susp. | Rare, Thr. | CITES, Hab., Red. |
| Fisher | Known | Undet. | None |
| Wolverine | Known | Com. | None |
| Spotted skunk | Known | Same, Periph. | None |
| Lynx | Known | Undet. | CITES |
| Hoary marmot | Known | Com. | None |

REPTILES:

None


AMPHIBIANS:

| | | | |
|-------------|-------|------|------|
| Tailed frog | Known | Com. | Hab. |
|-------------|-------|------|------|

FISHES:

| | | | |
|-----------------|-------|------|------|
| Cutthroat trout | Known | Com. | Red. |
|-----------------|-------|------|------|

BIRDS:
Refer to latilongs



RICHLAND

MAMMALS:

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|----------------|
| Preble shrew | Susp. | Undet. | None |
| Big-eared bat | Known | Undet. | Sens. |
| Keen's bat | Known | Rare, Periph. | None |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| Meadow jumping mouse | Known | Undet. | None |

REPTILES:

| | | | |
|-----------------|-------|--------|-------|
| Snapping turtle | Known | Com. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |


AMPHIBIANS:

None

FISHES:

| | | | |
|-----------------|-------|---------------|-------|
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Shortnose gar | Known | Rare, Periph. | None |
| Finescale dace | Susp. | Rare | None |
| Sturgeon chub | Known | Rare | None |


BIRDS:
Refer to latilongs



ROOSEVELT

| | Occurrence | Status | Concerns | Added |
|--------------------------|------------|---------------|-----------|-------|
| MAMMALS: | | | | |
| Keene bat | Susp. | Rare, Periph. | None | |
| Black-tailed prairie dog | Susp. | Undet. | Un., Red. | |
| REPTILES: | | | | |
| Snapping turtle | Susp. | Undet. | Sens. | |
| Spiny softshell | Susp. | Undet. | Sens. | |
| Plains hognose | Susp. | Undet. | None | |
| Smooth green snake | Susp. | Rare, Periph. | None | |
| AMPHIBIANS: | | | | |
| Dakota toad | Known | Rare, Periph. | None | |
| FISHES: | | | | |
| Pallid sturgeon | Known | Rare | Sens. | |
| Paddlefish | Known | Com. | None | |
| Shortnose gar | Known | Rare, Periph. | None | |
| Finescale dace | Susp. | Rare | None | |


BIRDS:
Refer to latilongs



ROSEBUD

| | Occurrence | Status | Concerns | Added |
|--------------------------|------------|------------|-----------------------------|-------|
| MAMMALS: | | | | |
| Merriam shrew | Susp. | Undet. | None | |
| Frebie shrew | Susp. | Undet. | None | |
| Big-eared bat | Susp. | Undet. | Sens. | |
| REPTILES: | | | | |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Bab., Red. | |
| Lynx | Known | Undet. | CITES | |
| Black-tailed prairie dog | Known | Com. | Un., Red. | |
| AMPHIBIANS: | | | | |
| None | | | | |
| FISHES: | | | | |
| Paddlefish | Known | Com. | Sens. | |
| Sturgeon chub | Susp. | Rare | None | |


BIRDS:
Refer to latilongs



SANDERS

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Pygmy shrew | Known | Rare, Periph. | None |
| REPTILES: | | | |
| Big-eared bat | Known | Undet. | Sens. |
| Grizzly bear | Known | Rare, Thr. | CITES, Hab., Red. |
| Fisher | Susp. | Undet. | None |
| Wolverine | Known | Com. | None |
| Lynx | Susp. | Undet. | CITES |
| Hoary marmot | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| Round-skinned newt | Known | Periph. | None |
| Pacific giant salamander | Susp. | Periph. | None |
| Cour d'Alene salamander | Susp. | Periph. | None |
| Tailed frog | Known | Com. | Hab. |
| FISHES: | | | |
| Cutthroat trout | Known | Com. | Red. |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |


BIRDS:
Refer to latilongs



SHERIDAN

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------|-------------------|---------------|-----------------------|
| MAMMALS: | | | |
| Pygmy shrew | Known | Rare, Periph. | None |
| REPTILES: | | | |
| Snapping turtle | Known | Undet. | Sens. |
| Plains hognose | Known | Rare | None |
| Smooth green snake | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| Dakota toad | Known | Rare, Periph. | None |
| FISHES: | | | |
| Pinescale dace | Susp. | Rare | None |


BIRDS:
Refer to latilongs



SILVER BOW

| | Occurrence | Status | Added Concerns |
|--------------------|------------|--------|-------------------|
| MAMMALS: | | | |
| Freble shrew | Known | Rare | None |
| Fringed bat | Susp. | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Wolverine | Known | Undet. | None |
| Lynx | Susp. | Undet. | CITES |
| REPTILES: | | | |
| None | | | |
| AMPHIBIANS: | | | |
| Tailed frog | Susp. | Undet. | None |
| FISHES: | | | |
| Cutthroat trout | Known | Com. | Red |
| Arctic grayling | Known | Com. | Sens., Hab., Red. |


BIRDS:
Refer to latilongs



STILLWATER



| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|--------------------------|
| MAMMALS: | | | |
| Merrim shrew | Susp. | Undet. | None |
| Dwarf shrew | Susp. | Undet. | None |
| Freble shrew | Susp. | Undet. | None |
| Spotted bat | Susp. | Rare, Periph. | Sens. |
| Big-eared bat | Susp. | Undet. | Sens. |
| Grizzly bear | Susp. | Rare, Thr. | CITES, Hab., Red. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Wolverine | Susp. | Undet. | None |
| Black-tailed prairie dog | Known | Con. | Un., Red. |
| Uinta chipmunk | Susp. | Periph. | None |
| REPTILES: | | | |
| Spiny softshell | Known | Undet. | Sens. |
| Milk snake | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |

BIRDS:
Refer to latilongs




| SWEETGRASS | | | | TETON | | | |
|--------------------------|------------|------------|-------------------|--------------------------|------------|------------|-------------------|
| | Occurrence | Status | Added Concerns | | Occurrence | Status | Added Concerns |
| MAMMALS: | | | | MAMMALS: | | | |
| Merriam shrew | Known | Rare | None | Prefle shrew | Susp. | Undet. | None |
| Dwarf shrew | Susp. | Undet. | None | Big-eared bat | Susp. | Undet. | Sens. |
| Prefle shrew | Susp. | Undet. | None | Grizzly bear | Known | Com., Thr. | CITES, Hab., Red. |
| Big-eared bat | Susp. | Undet. | Sens. | Wolverine | Known | Com. | None |
| Grizzly bear | Susp. | Rare, Thr. | CITES, Hab., Red. | Wolf | Known | Rare, End. | CITES, Red. |
| Wolverine | Susp. | Undet. | None | Lynx | Known | Undet. | CITES |
| Lynx | Susp. | Undet. | CITES | Hoary marmot | Known | Com. | None |
| Black-tailed prairie dog | Known | Com. | Un., Red. | Black-tailed prairie dog | Susp. | Undet. | Un., Red. |
| Umta chipmunk | Susp. | Periph. | None | REPTILES: | | | |
| REPTILES: | | | | Plains hognose | Known | Undet. | None |
| None | | | | AMPHIBIANS: | | | |
| AMPHIBIANS: | | | | Tailed frog | Susp. | Undet. | Hab. |
| None | | | | FISHES: | | | |
| FISHES: | | | | Arctic grayling | Known | Com. | Sens., Hab., Red. |
| Arctic grayling | Known | Gen. | Sens., Hab., Red. | | | | |

32




| TOOLE | | | | TREASURE | | | |
|--------------------------|------------|---------------|----------------|--------------------------|------------|------------|--------------------------|
| | Occurrence | Status | Added Concerns | | Occurrence | Status | Added Concerns |
| MAMMALS: | | | | | | | |
| Frehle shrew | Susp. | Undet. | None | Merriam shrew | Susp. | Undet. | None |
| Dwarf shrew | Known | Rare | None | Big-eared bat | Susp. | Undet. | Sens. |
| Hig-eared bat | Susp. | Undet. | Sens. | Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Lynx | Known | Undet. | CITES | Black-tailed prairie dog | Known | Com. | Un., Red. |
| Black-tailed prairie dog | Known | Com. | Un., Red. | REPTILES: | | | |
| Plains hognose | Susp. | Undet. | None | Snapping turtle | Known | Undet. | Sens. |
| AMPHIBIANS: | | | | | | | |
| Dakota toad | Known | Rare, Periph. | None | Spiny softshell | Known | Undet. | Sens. |
| FISHES: | | | | | | | |
| Finescale dace | Susp. | Rare | None | Plains hognose | Susp. | Undet. | None |
| BIRDS: | | | | | | | |
| Refer to latilongs | | | | AMPHIBIANS: | | | |
| | | | | None | | | |
| | | | | FISHES: | | | |
| | | | | Paddlefish | Known | Com. | None |
| | | | | Sturgeon chub | Susp. | Rare | None |

BIRDS:
Refer to latilongs




BIRDS:
Refer to latilongs



VALLEY

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|-----------------------------|
| MAMMALS: | | | |
| Merriam shrew | Known | Rare | None |
| Freble shrew | Known | Rare | None |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Wolf | Known | Rare, End. | CITES, Red. |
| Black-tailed prairie dog | Com. | Un., Red. | |
| REPTILES: | | | |
| Snapping turtle | Susp. | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Known | Undet. | None |
| Milk snake | Susp. | Rare, Undet. | None |
| AMPHIBIANS: | | | |
| Dakota toad | Known | Rare, Periph. | None |
| FISHES: | | | |
| Pallid sturgeon | Known | Rare | Sens. |
| Paddlefish | Known | Com. | None |
| Shortnose gar | Known | Rare, Periph. | None |
| Finescale dace | Susp. | Rare | None |


BIRDS:
Refer to latilongs



WHEATLAND

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|------------|-----------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Dwarf shrew | Susp. | Undet. | None |
| Freble shrew | Known | Rare | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Wolverine | Susp. | Rare | None |
| Lynx | Known | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |

BIRDS:
Refer to latilongs




WIBAUX

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|----------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Freble shrew | Susp. | Undet. | None |
| Big-eared bat | Susp. | Undet. | Sens. |
| Keen's bat | Susp. | Rare, Periph. | None |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| Meadow jumping mouse | Known | Rare | None |
| REPTILES: | | | |
| Snapping turtle | Known | Com. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Rare | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| None | | | |


YELLOWSTONE

| | Occurrence | Status | Added Concerns |
|--------------------------|------------|---------------|--------------------------|
| MAMMALS: | | | |
| Merriam shrew | Susp. | Undet. | None |
| Freble shrew | Susp. | Undet. | None |
| Spotted bat | Known | Rare, Periph. | None |
| Big-eared bat | Known | Undet. | Sens. |
| Black-footed ferret | Susp. | Rare, End. | CITES, Sens., Hab., Red. |
| Lynx | Susp. | Undet. | CITES |
| Black-tailed prairie dog | Known | Com. | Un., Red. |
| REPTILES: | | | |
| Snapping turtle | Known | Undet. | Sens. |
| Spiny softshell | Known | Undet. | Sens. |
| Plains hognose | Susp. | Undet. | None |
| Milk snake | Susp. | Undet. | None |
| AMPHIBIANS: | | | |
| None | | | |
| FISHES: | | | |
| Paddlefish | Known | Com. | None |
| Sturgeon chub | Susp. | Rare | None |

BIRDS:
Refer to latilongs



BIRDS:
Refer to latilongs



LATILONG 1

LATILONG 2

| | Occurrence | Status | Added Concerns | | Occurrence | Status | Added Concerns |
|------------------------|------------|------------|--------------------|------------------------|------------|------------|-----------------------------|
| Harlequin duck | Breed? | Rare | None | Harlequin duck | Breed. | Rare | None |
| Goshawk | Breed | Com. | CITES, Hab. | Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed | Undet. | CITES, Hab. | Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Golden eagle | Breed | Com. | CITES | Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Solid eagle | Breed | Rare, End. | CITES, Hab., Sens. | Golden eagle | Breed. | Com. | CITES |
| Osprey | Breed | Com. | CITES | Osprey | Breed. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Trans. | Undet. | CITES | Prairie falcon | Breed? | Undet. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. | Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES | Merlin | Breed? | Undet. | CITES |
| Long-billed curlew | Trans. | Undet. | Hab., Red. | Mountain plover | Trans. | Rare | Hab., Red. |
| Upland sandpiper | Trans. | Undet. | Sens. | Long-billed curlew | Trans. | Undet. | Hab., Red. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. | Upland sandpiper | Trans. | Undet. | Sens. |
| Burrowing owl | Trans. | Undet. | CITES, Hab., Red. | Pygmy owl | Breed. | Undet. | CITES, Sens. |
| Barred owl | Breed? | Undet. | CITES, Hab., Sens. | Burrowing owl | Trans. | Undet. | CITES, Hab., Red. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. | Barred owl | Breed? | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. | Great gray owl | Breed. | Undet. | CITES, Hab., Sens. |
| Saw-whet owl | Breed | Undet. | CITES, Hab. | Long-eared owl | Trans. | Undet. | CITES, Sens. |
| Pileated woodpecker | Breed? | Com. | Hab., Un. | Saw-whet owl | Breed. | Undet. | CITES, Hab. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. | Pileated woodpecker | Breed. | Com. | Hab., Un. |
| Western bluebird | Breed | Rare | Hab., Sens. | Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. | Western bluebird | Breed | Rare | Hab., Sens. |
| Brewer's sparrow | Trans. | Undet. | Hab. | Bobolink | Breed | Undet. | Hab. |
| | | | | Clay-colored sparrow | Trans. | Undet. | Hab. |
| | | | | Brewer's sparrow | Trans. | Undet. | Hab. |
| | | | | Field sparrow | Trans. | Undet. | Hab. |

LATILONG 3

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|-----------------------------|
| Harlequin duck | Breed. | Rare | None |
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. |
| Barred owl | Breed? | Undet. | CITES, Hab., Sens. |
| Great gray owl | Breed. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Breed? | Undet. | CITES, Hab. |
| Pileated woodpecker | Breed. | Com. | Hab., Un. |
| Olive-sided flycatcher | Breed | Undet. | Hab. |
| Western bluebird | Breed? | Rare | Hab., Sens. |
| Bobolink | Trans. | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Trans. | Undet. | Hab. |

LATILONG 4*

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-----------------------------|
| Harlequin duck | Breed? | Rare | None |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Prairie falcon | Breed? | Undet. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 5

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-----------------------------|
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed? | Undet. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 6*

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-------------------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed? | Undet. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Whooping crane | Trans. | Rare, End. | CITES, Sens., Periph. Hab., Red. |
| Mountain plover | Breed? | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Trans. | Undet. | CITES, Sens. |
| Western bluebird | Trans. | Rare | Hab., Sens. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 7*

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-----------------------------|
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed. | Undet. | CITES |
| Mountain plover | Breed? | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed | Undet. | CITES, Hab., Red. |
| Bobolink | Trans. | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |

LATILONG 8*

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-----------------------------|
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Trans. | Com. | CITES |
| Prairie falcon | Trans. | Undet. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Trans. | Undet. | CITES, Hab., Red. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 9

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------------------|-----------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed? | Undet. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Mountain plover | Breed | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed. | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |

LATILONG 10

| | Occurrence | Status | Added Concerns |
|----------------------|------------|---------------|-----------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Trans. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Trans. | Undet. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed. | Undet. | CITES |
| Mountain plover | Breed? | Rare | Hab., Red. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Trans. | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Eastern bluebird | Breed. | Rare, Periph. | Sens., Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed | Undet. | Hab. |
| Brewer's sparrow | Breed | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

LATILONG 11*

| | Occurrence | Status | Added Concerns |
|----------------------|------------|---------------|-----------------------------|
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Breed? | Rare, End. | CITES, Sens., Hab. |
| Prairie falcon | Trans. | Undet. | CITES |
| Merlin | Breed? | Undet. | CITES |
| Mountain plover | Breed? | Rare | Hab., Red. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Eastern bluebird | Trans. | Rare, Periph. | Sens., Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed. | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

LATILONG 12

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------------------|-----------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Eastern bluebird | Trans. | Rare, Periph. | Sens., Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed | Undet. | Hab. |
| Brewer's sparrow | Trans. | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 13*

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|-----------------------|
| Harlequin duck | Trans. | Rare | None |
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. |
| Pileated woodpecker | Breed? | Undet. | Hab., Un. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Western bluebird | Breed? | Rare | Hab., Sens. |

LATILONG 14

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|-----------------------------|
| Harlequin duck | Trans. | Rare | None |
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed. | Undet. | CITES, Hab. |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Northern owl | Breed? | Undet. | CITES, Hab., Sens. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Breed. | Undet. | CITES, Hab. |
| Pileated woodpecker | Breed. | Com. | Hab., Un. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Western bluebird | Breed. | Rare | Hab., Sens. |
| Bobolink | Breed | Undet. | Hab. |
| Clay-colored sparrow | Breed. | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 15

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|-----------------------|
| Harlequin duck | Breed. | Rare | None |
| Goshawk | Breed? | Com. | CITES, Hab. |
| Cooper's hawk | Breed. | Undet. | CITES, Hab. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed. | Undet. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. |
| Barred owl | Breed. | Undet. | CITES, Hab., Sens. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Saw-whet owl | Breed? | Undet. | CITES, Hab. |
| Pileated woodpecker | Breed? | Undet. | Hab., Un. |
| Olive-sided flycatcher | Breed. | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Trans. | Rare | None |

LATILONG 16

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|--------------------------|
| Harlequin duck | Trans. | Rare | None |
| Goshawk | Breed? | Com. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed? | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed? | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed. | Undet. | CITES |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Pygmy owl | Trans. | Undet. | CITES, Sens. |
| Barred owl | Breed? | Undet. | CITES, Hab., Red. |
| Long-eared owl | Trans. | Undet. | CITES, Hab., Sens. |
| Pileated woodpecker | Breed? | Undet. | Hab., Un. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 17

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------|-----------------------------|
| Goshawk | Trans. | Com. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed. | Undet. | CITES |
| Mountain plover | Breed? | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 18

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------|-----------------------------|
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Com. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Trans. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 19

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-----------------------------|
| Goshawk | Breed? | Undet. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed. | Undet. | CITES |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Trans. | Undet. | CITES, Hab., Red. |
| Great gray owl | Breed. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Saw-whet owl | Breed? | Undet. | CITES, Hab. |
| Bobolink | Breed. | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |

LATILONG 20

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-----------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed? | Com. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed. | Undet. | CITES |
| Mountain plover | Breed. | Rare | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Hab., Red. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed | Undet. | Hab. |

LATILONG 21*

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------|--------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Mountain plover | Trans. | Rare | Hab., Red. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 22

| | Occurrence | Status | Added Concerns |
|----------------------|------------|---------------------|--------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Mountain plover | Trans. | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 23*

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------------------|-----------------------------|
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

LATILONG 24

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------------------|-----------------------------|
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Merlin | Breed. | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Eastern bluebird | Breed? | Rare, Periph. | Sens., Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Breed. | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered
substandard.

LATILONG 25

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------|-----------------------------|
| Harlequin duck | Breed? | Rare | None |
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed. | Undet. | CITES, Hab. |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Trans. | Undet. | Sens. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. |
| Burrowing owl | Trans. | Undet. | CITES, Hab., Red. |
| Barred owl | Trans. | Undet. | CITES, Hab., Sens. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Pileated woodpecker | Breed. | Com. | Hab., Un. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Western bluebird | Breed. | Rare | Hab., Sens. |
| Bobolink | Breed. | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 26

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------|-----------------------------|
| Harlequin duck | Breed. | Rare | None |
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed. | Undet. | CITES, Hab. |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Undet. | CITES |
| Merlin | Breed? | Undet. | CITES |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Pygmy owl | Breed? | Undet. | CITES, Sens. |
| Barred owl | Breed? | Undet. | CITES, Hab., Sens. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Pileated woodpecker | Breed. | Com. | Hab., Un. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Western bluebird | Breed. | Rare | Hab., Sens. |
| Bobolink | Breed. | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 27

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------|-----------------------------|
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed? | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Pygmy owl | Trans. | Undet. | CITES, Sens. |
| Barred owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Trans. | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Pileated woodpecker | Breed? | Undet. | Hab., Un. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 28

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------------------|-----------------------------|
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed. | Undet. | CITES, Hab. |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Bald eagle | Breed | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Undet. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Mountain plover | Breed. | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Pygmy owl | Trans. | Undet. | CITES, Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed. | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 29

LATILONG 30*

| | Occurrence | Status | Added Concerns | | Occurrence | Status | Added Concerns |
|------------------------|------------|------------------------|-----------------------------|------------------------|------------|------------|-----------------------------|
| Harlequin duck | Breed? | Rare | None | Goshawk | Breed. | Com. | CITES, Hab. |
| Goshawk | Breed? | Com. | CITES, Hab. | Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. | Golden eagle | Breed. | Com. | CITES |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. | Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Golden eagle | Breed. | Com. | CITES | Osprey | Trans. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. | Prairie falcon | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES | Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. | Merlin | Trans. | Undet. | CITES |
| Merlin | Breed? | Undet. | CITES | Mountain plover | Breed? | Rare | Hab., Red. |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. | Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Mountain plover | Breed. | Rare | Hab., Red. | Upland sandpiper | Breed? | Undet. | Sens. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. | Burrowing owl | Trans. | Undet. | CITES, Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. | Olive-sided flycatcher | Trans. | Undet. | Hab. |
| Pygmy owl | Trans. | Undet. | CITES, Sens. | Bobolink | Breed? | Undet. | Hab. |
| Burrowing owl | Trans. | Undet. | CITES, Hab., Red. | Clay-colored sparrow | Breed? | Undet. | Hab. |
| Great gray owl | Breed. | Undet. | CITES, Hab., Sens. | Brewer's sparrow | Breed? | Undet. | Hab. |
| Long-eared owl | Trans. | Undet. | CITES, Sens. | | | | |
| Long-eared owl | Trans. | Undet. | CITES, Sens. | | | | |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. | | | | |
| Olive-sided flycatcher | Breed? | Undet. | Hab. | | | | |
| Bobolink | Breed? | Undet. | Hab. | | | | |
| Clay-colored sparrow | Breed? | Undet. | Hab. | | | | |
| Brewer's sparrow | Breed. | Undet. | Hab. | | | | |

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 31

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------------------|-----------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Mountain plover | Breed? | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Olive-sided flycatcher | Trans. | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed | Undet. | Hab. |

LATILONG 32

| | Occurrence | Status | Added Concerns |
|------------------------|------------|------------|-----------------------------|
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed | Com. | CITES |
| Bald eagle | Breed | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. |
| Long-billed curlew | Breed | Undet. | Hab., Red. |
| Upland sandpiper | Breed | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Olive-sided flycatcher | Trans. | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Trans. | Undet. | Hab. |

LATILONG 33

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------|--------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Mountain plover | Breed. | Rare | Hab., Red. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Long-eared owl | Trans. | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

LATILONG 34

| | Occurrence | Status | Added Concerns |
|------------------------|------------|---------------------|--------------------------|
| Goshawk | Trans. | Undet. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Mountain plover | Breed? | Rare | Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Pygmy owl | Trans. | Undet. | CITES, Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Olive-sided flycatcher | Trans. | Undet. | Hab. |
| Eastern bluebird | Trans. | Rare, Periph. | Sens., Hab. |
| Dickcissel | Breed. | Rare | None |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

LATILONG 35*

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------------------|-----------------------------|
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Trans. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Com. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Eastern bluebird | Trans. | Rare, Periph. | Sens., Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Breed. | Undet. | Hab. |

LATILONG 36*

| | Occurrence | Status | Added Concerns |
|------------------------|------------|--------|-----------------------------|
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Osprey | Breed? | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Upland sandpiper | Trans. | Undet. | Sens. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 37

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|-----------------------------|
| Goshawk | Breed? | Com. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab., |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Hawk eagle | Breed? | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Fairy owl | Breed? | Undet. | CITES, Sens. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Olive-sided flycatcher | Trans. | Undet. | Hab. |
| Bobolink | Breed. | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 38

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|--|
| Harlequin duck | Breed? | Rare | None |
| Goshawk | Breed. | Com. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed. | Com. | CITES |
| Merlin | Breed? | Undet. | CITES, Sens., Red. |
| Whooping crane | Trans. | Rare, End. | CITES |
| Mountain plover | Trans. | Rare | CITES, Sens., Red., Hab., Periph. Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Fairy owl | Breed? | Undet. | CITES, Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Barred owl | Trans. | Undet. | CITES, Hab., Sens. |
| Great gray owl | Breed. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Saw-whet owl | Breed. | Undet. | CITES, Hab. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Western bluebird | Trans. | Rare | Hab., Sens. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |

LATILONG 39

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> | |
|------------------------|-------------------|---------------|-----------------------------|------------------------|
| Harlequin duck | Breed? | Rare | None | Goshawk |
| Goshawk | Breed. | Com. | CITES, Hab. | Cooper's hawk |
| Cooper's hawk | Breed | Undet. | CITES, Hab. | Ferruginous hawk |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. | Golden eagle |
| Golden eagle | Breed. | Com. | CITES | Bald eagle |
| Bald eagle | Breed? | Rare, End. | CITES, Hab., Sens. | Osprey |
| Osprey | Breed? | Com. | CITES | Prairie falcon |
| Prairie falcon | Breed. | Com. | CITES | Peregrine falcon |
| Peregrine falcon | Breed? | Rare, End. | CITES, Sens., Red. | Merlin |
| Merlin | Breed? | Undet. | CITES | Long-billed curlew |
| Long-billed curlew | Breed? | Undet. | Hab., Red. | Upland sandpiper |
| Upland sandpiper | Breed? | Undet. | Sens. | Burrowing owl |
| Pygmy owl | Breed. | Undet. | CITES, Sens. | Long-eared owl |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. | Olive-sided flycatcher |
| Great gray owl | Breed? | Undet. | CITES, Hab., Sens. | Bobolink |
| Saw-whet owl | Breed? | Undet. | CITES, Hab. | Clay-colored sparrow |
| Olive sided flycatcher | Breed? | Undet. | Hab. | Brewer's sparrow |
| Eastern bluebird | Trans. | Rare, Periph. | Sens., Hab. | |
| Bobolink | Breed. | Undet. | Hab. | |
| Clay-colored sparrow | Breed? | Undet. | Hab. | |
| Brewer's sparrow | Breed. | Undet. | Hab. | |

LATILONG 40

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|-----------------------------|
| Goshawk | Trans. | Com. | CITES, Hab. |
| Cooper's hawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed? | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Long-eared owl | Trans. | Undet. | CITES, Sens. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Trans. | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |

LATILONG 41

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|------------------------|-----------------------------|
| Coshawk | Breed? | Undet. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed? | Rare, End. | CITES, Hab., Sens. |
| Osprey | Trans. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Trans. | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |

LATILONG 42

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|---------------|-----------------------------|
| Coshawk | Breed? | Undet. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Trans. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed? | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Breed? | Undet. | CITES |
| Mountain plover | Trans. | Rare | Hab., Red. |
| Long-billed curlew | Breed? | Undet. | Hab., Red. |
| Upland sandpiper | Breed? | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Saw-whet owl | Breed? | Undet. | CITES, Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |

LATILONG 43

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------------------|-----------------------------|
| Coshawk | Breed. | Undet. | CITES, Hab. |
| Cooper's hawk | Breed | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Breed? | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Trans. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Long-billed curlew | Trans. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed. | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed. | Undet. | CITES, Sens. |
| Saw-whet owl | Breed? | Undet. | CITES, Hab. |
| Eastern bluebird | Breed. | Rare, Periph. | Sens., Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

LATILONG 44*

| | Occurrence | Status | Added Concerns |
|----------------------|------------|------------------------|-----------------------------|
| Coshawk | Trans. | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed? | Com. | CITES |
| Whooping crane | Trans. | Rare, End., Periph. | CITES, Sens., Hab., Red. |
| Long-billed curlew | Trans. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Bobolink | Breed? | Undet. | Hab. |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |

* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 45

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|----------------------|-------------------|-----------------------|-----------------------------|
| Cooper's hawk | Breed. | Under. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Com. | CITES |
| Merlin | Breed | Under. | CITES |
| Whooping crane | Trans. | Rare, End. Periph. | CITES, Sens., Hab., Red. |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Upland sandpiper | Breed. | Undet. | Sens. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Trans. | Undet. | CITES, Hab. |
| Eastern bluebird | Breed. | Rare, Periph. | Sens., Hab. |
| Bobolink | Breed? | Undet. | Hab. |
| Dickcissel | Breed? | Rare | None |
| Clay-colored sparrow | Breed? | Undet. | Hab. |
| Brewer's sparrow | Breed. | Undet. | Hab. |
| Field sparrow | Breed? | Undet. | Hab. |


LATILONG 46*

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|--------------------|-------------------|---------------|-----------------------------|
| Goshawk | Breed? | Undet. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed. | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed. | Com. | CITES |
| Bald eagle | Trans. | Rare, End. | CITES, Hab., Sens. |
| Prairie falcon | Breed. | Com. | CITES |
| Merlin | Breed? | Undet. | CITES |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Brewer's sparrow | Breed. | Undet. | Hab. |


* The present nongame bird inventory in this latilong is considered substandard.

LATILONG 47

| | <u>Occurrence</u> | <u>Status</u> | <u>Added Concerns</u> |
|------------------------|-------------------|---------------|-----------------------------|
| Goshawk | Breed? | Com. | CITES, Hab. |
| Cooper's hawk | Breed? | Undet. | CITES, Hab. |
| Ferruginous hawk | Breed? | Rare | CITES, Sens., Hab., Red. |
| Golden eagle | Breed? | Com. | CITES |
| Hawk eagle | Breed. | Rare, End. | CITES, Hab., Sens. |
| Osprey | Breed. | Com. | CITES |
| Prairie falcon | Breed. | Com. | CITES |
| Peregrine falcon | Breed. | Rare, End. | CITES, Sens., Red. |
| Merlin | Trans. | Undet. | CITES |
| Long-billed curlew | Breed. | Undet. | Hab., Red. |
| Burrowing owl | Breed? | Undet. | CITES, Hab., Red. |
| Great gray owl | Trans. | Undet. | CITES, Hab., Sens. |
| Long-eared owl | Breed? | Undet. | CITES, Sens. |
| Saw-whet owl | Breed? | Undet. | CITES, Hab. |
| Olive-sided flycatcher | Breed? | Undet. | Hab. |
| Bobolink | Trans. | Undet. | Hab. |
| Brewer's sparrow | Breed? | Undet. | Hab. |



APPENDIX



MONTANA MAMMALS

(G) - Game animal

(P) - Predatory animal

(F) - Furbearer

| Common Name | Scientific Name | Distribution and Occurrence |
|--------------------------|----------------------------------|--|
| Masked shrew | <i>Sorex cinereus</i> | Dry woods, through the state, common. |
| Vagrant shrew | <i>Sorex vagrans</i> | Moist woods and meadows in western portion, common. |
| Merriam shrew | <i>Sorex merriami</i> | Sagebrush and grasslands in eastern counties, quite rare. |
| Dwarf shrew | <i>Sorex nanus</i> | Known from several high mountain ranges in the center of the state. |
| Northern water shrew | <i>Sorex palustris</i> | Banks of fast streams and shores of high altitude lakes in mountains. |
| Preble shrew | <i>Sorex preblei</i> | Known from a few specimens in central and eastern Montana, rare. |
| Pygmy shrew | <i>Microsorex hoyi</i> | Northwestern and northeastern Montana only, rare. |
| Little brown bat | <i>Myotis lucifugus</i> | Throughout the state, common. |
| Yuma bat | <i>Myotis yumanensis</i> | Throughout the state, less common than above. |
| Long-eared bat | <i>Myotis evotis</i> | Throughout the state, fairly common. |
| California brown bat | <i>Myotis californicus</i> | Known from Ravalli and Flathead Counties. |
| Long-legged bat | <i>Myotis volans</i> | Fairly common in most of the state. |
| Least bat | <i>Myotis leibii</i> | Most of the state. |
| Fringed bat | <i>Myotis thysanodes</i> | Very rare; specimens from Lewis and Clark Caverns and Ravalli County. |
| Keen's bat | <i>Myotis keenii</i> | Known only from 1 site in extreme eastern Montana. |
| Big brown bat | <i>Eptesicus fuscus</i> | Throughout the state, may hibernate in buildings during winter. |
| Hoary bat | <i>Lasiurus cinereus</i> | Deep woods in summer, probably occurs throughout the state in migration. |
| Spotted bat | <i>Euderma maculatum</i> | Known only from a single specimen obtained at Billings. |
| Townsend's big-eared bat | <i>Plecotus townsendii</i> | Known from several caves and mines in central and western Montana. |
| Pallid bat | <i>Antrozous pallidus</i> | Known only from a single specimen from south-central Montana. |
| Silver-haired bat | <i>Lastonycteris noctivagans</i> | Wood areas, rather common. |
| (G) Black bear | <i>Ursus americanus</i> | Forested areas, rather common. |
| (G) Grizzly bear | <i>Ursus arctos</i> | Remote wilderness areas especially at high elevations. |
| (F) Fisher | <i>Martes pennanti</i> | Successfully transplanted from British Columbia in 1958-59 near Holland Lake, Missoula County, and Pink Creek, Lincoln County. |

MONTANA MAMMALS

| | (G) - Game animal | (P) - Predatory animal | (F) - Furbearer |
|-------------------------|-----------------------------|---|-----------------|
| Common Name | Scientific Name | Distribution and Occurrence | |
| (F) Marten | <i>Martes americana</i> | | |
| (P) Short-tailed weasel | <i>Mustela erminea</i> | Most higher mountain regions, common. | |
| (P) Long-tailed weasel | <i>Mustela frenata</i> | Generally in forested areas, common. | |
| (P) Least weasel | <i>Mustela nivalis</i> | Throughout the state, common. | |
| (F) Mink | <i>Mustela vison</i> | Eastern half of the state, rare | |
| Black-footed ferret | <i>Mustela nigripes</i> | Marsh areas and stream banks throughout the state, common. | |
| (F) Wolverine | <i>Gulo gulo</i> | May occur in the eastern part of the state in prairie dog colonies, extremely rare. | |
| (P) Striped skunk | <i>Mephitis mephitis</i> | Wilder portions of western mountains. | |
| (P) Spotted skunk | <i>Spilogale putorius</i> | Throughout the state in farm land and open country, common. | |
| Badger | <i>Taxidea taxus</i> | Known only from southwestern and south central Montana. | |
| (F) River otter | <i>Lutra canadensis</i> | Throughout the state, common. | |
| Raccoon | <i>Procyon lotor</i> | On large streams, mostly in western portion. | |
| Red fox | <i>Vulpes vulpes</i> | Common in large river valleys throughout the state. | |
| (F) Swift fox | <i>Vulpes velox</i> | Formerly rare through the state but now fairly common. | |
| (P) Coyote | <i>Canis latrans</i> | Originally common in eastern counties, now probably extinct. Only one recent specimen. | |
| Wolf | <i>Canis lupus</i> | Throughout the state, common. | |
| (G) Cougar | <i>Felis concolor</i> | Originally present throughout the state, now confined to a few scattered locations in western Montana. Very rare. | |
| (F) Canada lynx | <i>Lynx lynx</i> | Western central and southern counties. Seldom encountered, yet fairly common. | |
| (F) Bobcat | <i>Lynx rufus</i> | Heavily forested areas in western part of state, rare. | |
| Yellow-bellied marmot | <i>Marmota flaviventris</i> | In many areas in state, common. | |
| Hoary marmot | <i>Marmota caligata</i> | Rocky areas and mountains of most of the western part of the state, common. | |
| | | Above timberline in Glacier National Park and neighboring high mountain ranges. | |

MONTANA MAMMALS

(G) - Game animal

(P) - Predatory animal

(F) - Furbearer

| Common Name | Scientific Name | Distribution and Occurrence |
|--------------------------------|--------------------------------------|---|
| Columbian ground squirrel | <i>Spermophilus columbianus</i> | Western one-third of the state, common. |
| Richardson ground squirrel | <i>Spermophilus richardsonii</i> | Eastern two-thirds of the state, common. |
| Uinta ground squirrel | <i>Spermophilus armatus</i> | Yellowstone Park and surrounding areas, common. |
| Thirteen-lined ground squirrel | <i>Spermophilus tridecemlineatus</i> | Grassland in eastern and central areas. |
| Golden-mantled ground squirrel | <i>Spermophilus lateralis</i> | Rocky areas in the mountains of central and western regions, common. |
| Black-tailed prairie dog | <i>Cynomys ludovicianus</i> | Formerly abundant in eastern Montana, now much reduced by poisoning. |
| White-tailed prairie dog | <i>Cynomys leucurus</i> | Known only in Carbon County. |
| Least chipmunk | <i>Eutamias minimus</i> | Primarily in sagebrush areas in eastern and central Montana, common. |
| Yellow pine chipmunk | <i>Eutamias amoenus</i> | Lower elevations in western Montana, common. |
| Rufous-tailed chipmunk | <i>Eutamias ruficaudus</i> | Higher elevations in northwestern mountains, common. |
| Uinta chipmunk | <i>Eutamias amoenus</i> | Higher elevations in the vicinity of Yellowstone National Park. |
| Red or pine squirrel | <i>Tamiasciurus hudsonicus</i> | Coniferous forest in western counties, common. |
| Northern flying squirrel | <i>Glaucomys sabrinus</i> | Dense forest in western counties, common. |
| Fox squirrel | <i>Sciurus niger</i> | In towns and river bottoms along the Missouri and Yellowstone Rivers. |
| Northern pocket gopher | <i>Thomomys talpoides</i> | Throughout the state, common. |
| Wyoming pocket mouse | <i>Perognathus fasciatus</i> | Dry areas in eastern counties. |
| Great basin pocket mouse | <i>Perognathus parvus</i> | Known only from Beaverhead County. |
| Hispid pocket mouse | <i>Perognathus hispidus</i> | Known only from extreme southeastern Carter County. |
| (F) Beaver | <i>Castor canadensis</i> | Along streams and lakes throughout the state, common. |
| Ord kangaroo rat | <i>Dipodomys ordii</i> | Sandy soil and sagebrush in the eastern half of the state. |
| Northern grasshopper mouse | <i>Onychomys leucogaster</i> | Grasslands of eastern Montana. |
| Western harvest mouse | <i>Reithrodontomys megalotis</i> | Grasslands of eastern Montana. |
| Western deer mouse | <i>Peromyscus maniculatus</i> | Throughout the state in virtually all habitats, common. |
| White-footed mouse | <i>Peromyscus leucopus</i> | Eastern Montana. |

MONTANA MAMMALS

(G) - Game animal

(P) - Predatory animal

(F) - Furbearer

| Common Name | Scientific Name | Distribution and Occurrence |
|------------------------------|--------------------------------|--|
| Bushy-tailed wood rat | <i>Neotoma cinerea</i> | Deserted cabins in Rocky Mountain areas, common. |
| Northern bog lemming | <i>Synaptomys borealis</i> | Only in wet meadows of west side of Glacier National Park, rare. |
| Mountain phenacomys | <i>Phenacomys intermedius</i> | Mostly near timberline in high mountain ranges. |
| Red-backed vole | <i>Clethrionomys gapperi</i> | Moist coniferous forests in western half of state, common. |
| Water vole | <i>Arvicola richardsoni</i> | Stream banks at high elevations in the mountains. |
| Meadow vole | <i>Microtus pennsylvanicus</i> | Wet meadows throughout the state, common. |
| Longtailed vole | <i>Microtus longicaudus</i> | Wet woods of central and western Montana. |
| Mountain vole | <i>Microtus montanus</i> | Dry grasslands of western and central Montana. |
| Prairie vole | <i>Microtus ochrogaster</i> | Dry grasslands of eastern Montana, common. |
| Sagebrush vole | <i>Lagurus curtatus</i> | Sagebrush areas in eastern and central mountains. |
| (F) Muskrat | <i>Ondatra zibethicus</i> | Ponds and streams throughout the state, common. |
| Rocky Mountain jumping mouse | <i>Zapus princeps</i> | High mountain meadows and wet woods near water in the western half of the state. |
| Meadow jumping mouse | <i>Zapus hudsonius</i> | Known only in eastern Montana. |
| House mouse | <i>Mus musculus</i> | Around human habitations throughout the state, common. |
| Norway rat | <i>Rattus norvegicus</i> | Known only in some of the cities. |
| Porcupine | <i>Erethizon dorsatum</i> | Throughout the state, common. |
| Nutria | <i>Myocaster coypus</i> | Introduced; once found in the Bitterroot Valley and near Billings. Probably extinct. |
| Pika | <i>Ochotona princeps</i> | Slide rock areas in mountains, common. |
| Snowshoe hare | <i>Lepus americanus</i> | Forested areas in western half of the state, common. |
| White-tailed jack rabbit | <i>Lepus townsendii</i> | Open areas throughout the state, common. |
| Black-tailed jack rabbit | <i>Lepus californicus</i> | Known only in Beaverhead and Madison counties. |
| Mountain cottontail | <i>Sylvilagus nuttallii</i> | Lower elevations in Montana, common. |
| Eastern cottontail | <i>Sylvilagus floridanus</i> | Found only along the extreme eastern border of the state. |

MONTANA MAMMALS

(G) - Game animal

(P) - Predatory Animal

(F) - Furbearer

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Distribution and Occurrence</u> |
|------------------------|-------------------------------|---|
| Desert cottontail | <i>Sylvilagus audubonii</i> | Eastern counties, common. |
| Pygmy rabbit | <i>Sylvilagus idahoensis</i> | Known only in Beaverhead and Madison Counties. |
| (G) Elk | <i>Cervus elaphus</i> | Certain suitable areas in central and western Montana, common. |
| (G) White-tailed deer | <i>Odocoileus virginianus</i> | Forested areas in western Montana and brushy river bottoms in eastern Montana, common. |
| (G) Mule deer | <i>Odocoileus hemionus</i> | Suitable habitats throughout the state, common. |
| (G) Moose | <i>Alces alces</i> | Suitable areas in western half of the state, fairly common. |
| (G) Woodland caribou | <i>Rangifer tarandus</i> | Formerly occurred in Lincoln County, now enter the state from British Columbia, but only rarely and in winter. |
| (G) Pronghorn antelope | <i>Antilocapra americana</i> | Most of eastern and central Montana, common. |
| (G) Bison | <i>Bison bison</i> | Formerly occurred throughout the state, now confined to Yellowstone National Park, the National Bison Range, and in scattered bands on private ranches. |
| (G) Bighorn sheep | <i>Ovis canadensis</i> | In scattered bands in the western half of the state, reintroduced into several mountain ranges. |
| (G) Mountain goat | <i>Oreamnos americanus</i> | High mountain ranges of northwestern Montana, successfully transplanted in several mountain ranges in central Montana. |

BIRDS OF MONTANA — 1973

Prepared by C. V. Davis

Supported by Endowment & Research Foundation

Montana State University, Bozeman

| Observer | Trip | Date | Locality |
|----------|------|------|----------|
| A | | | |
| B | | | |
| C | | | |
| D | | | |

Symbols

*Seldom reported

**Less than 3 records in last 50 years

+ Study skins in MSU Museum

† Study skins in U of M Museum

Name in () Based on sight records

B - Breeding records established

b - Breeding based on strong circumstantial evidence

M - Spring and fall migrant only

W - Regular wintering bird

w - Occasionally winters

Int - Introduced species

Underlines separate the families

1 - Common Loon (P3:R18) +BW

2 - (Arctic Loon) (P4:R18) **M

3 - (Red-throated Loon) (P5:R18) *M†

4 - Red-necked Grebe (P5:R20) +B

5 - Horned Grebe (P6:R20) +B

6 - Eared Grebe (P8:R20) +B

7 - Western Grebe (P9:R20) +B

8 - Pied-billed Grebe (P9:R20) +B

9 - White Pelican (F15:R30) +B

10 - D-c. Cormorant (P18:R34) +†BW

- (P...) Page reference to Peterson's 1961 Field Guide to Western Birds and the accompanying album of Western Bird Songs.
- (R...) Robbins, Brunn, Zim & Singer's 1966 Birds of N. America.
- Based on all collections and published records to 1973 as summarized by P. D. Skar and his A.B.A. Checklist Committee (C. V. Davis, R. L. Eng, R. L. Hand, R. A. Hays, L. M. Moos, W. Wedemeyer, and P. L. Wright). All names are based on the 1957 AOU Checklist plus the 1973 Supplement (AOU 90:411-419).
- 11 - Great B. Heron (P21:R94) +†BW
- 12 - Green Heron (P24:R94) **†
- 13 - (Great Egret) formerly Common E. (P25:R92) *
- 14 - Snowy Egret (P25:R92) **+
- 15 - Black-c Night Heron (P28:R96) +B
- 16 - Least Bittern (P28:R96) **+BW
- 17 - American Bittern (P29:R96) +B
- 18 - Wood Stork formerly W. Ibis (P29:R98) **+†
- 19 - White-faced Ibis (P30:R98) +†
- 20 - Whistling Swan (P31:R38) +†M
- 21 - Trumpeter Swan (P31:R38) +†BW
- 22 - Canada Goose (P32:R40) +†M
- 23 - Black Brant (P33:R40) +†M
- 24 - White-fronted G. (P36:R42) +†M
- 25 - Snow Goose includes Blue Goose (P36:R42) +M
- 26 - Ross' Goose (P37:R42) +†M
- 27 - Mallard (P39:R44) +†BW
- 28 - American Duck (P39:R44) +†B
- 29 - Gadwall (P40:R46) +†B
- 30 - Platlea (P40:R46) +†BW
- 31 - Green-w. Teal (P41:R48) +†BW
- 32 - Blue-w. Teal (P41:R48) +B
- 33 - Cinnamon Teal (P44:R48) +B
- 34 - (European Wigeon) (P44:R48) *†
- 35 - Am. Wigeon (P45:R48) +†BW
- 36 - Northern Shoveler formerly Shoveler (P45:R48) +†BW
- 37 - Wood Duck (P46:R50) +†B
- 38 - Redhead (P46:R52) +†B
- 39 - Ring-necked Duck (P47:R52) +†B
- 40 - Canvasback (P47:R52) +†B
- 41 - Greater Scaup (P48:R52) +†
- 42 - Lesser Scaup (P48:R52) +†B
- 43 - Common Goldeneye (P48:R54) +†BW
- 44 - Barrow's G. (P49:R54) +†BW
- 45 - Buff-breasted (P52:R54) +†B
- 46 - Oldsquaw (P52:R54) +†B
- 47 - Harlequin Duck (P52:R54) +B
- 48 - White-w. Scoter (P55:R59) +†M
- 49 - Surf Scoter (P55:R59) +†M
- 50 - Ruddy Duck (P56:R60) +†B
- 51 - Hooded Merganser (P57:R60) +†B
- 52 - Common Merganser (P60:R60) +†BW
- 53 - Red-breasted M. (P60:R60) +†B
- 54 - Turkey Vulture (P61:R64) +†B
- 55 - Goshawk (P63:R68) +BW
- 56 - Sharp-s. Hawk (P63:R68) +BW
- 57 - Cooper's Hawk (P64:R68) +†B
- 58 - Red-tailed H. (P64:R70) +†B
- 59 - (Red-shouldered H.) (P68:R70) **
- 60 - Broad-winged Hawk (P68:R72) +*
- 61 - Swainson's Hawk (P68:R72) +B
- 62 - Rough-legged H. (P70:R70) +†BW
- 63 - Ferruginous H. (P70:R70) +†B
- 64 - Golden Eagle (P72:R76) +†BW
- 65 - Bald Eagle (P72:R76) +†BW
- 66 - Marsh Hawk (P73:R68) +†BW
- 67 - Osprey (P76:R76) +†B
- 68 - Gyrfalcon (P77:R78) +†W
- 69 - Prairie Falcon (P77:R78) +†BW
- 70 - Peregrine Falcon (P78:R78) +†BW
- 71 - Merlin formerly Pigeon H. (P78:R78) +BW
- Sparrow Hawk (P79:R78) +†BW
- Sparrow Hawk (P80:R78) +BW
- 73 - Blue Grouse (P80:R80) +BW
- 74 - Spruce Grouse (P81:R84) +BW
- 75 - Ruffed Grouse (P81:R84) +BW
- 76 - Willow Ptarmigan (P84:R86) *†
- 77 - White-t. Ptarmigan (P84:R86) +BW
- +BW+
- 78 - Sharp-tailed G. (P85:R84) +BW
- 79 - Sage Grouse (P86:R84) +BW
- 80 - Bobwhite Int. (P86:R90) +† (gone)
- 81 - R-n. Pheasant Int. (P88:R90) +†BW
- 82 - Chukar Int. (P88:R90) +†BW
- 83 - Grey Partridge Int. (P89:R90) +†BW
- 84 - Turkey Int. (P92:R82) +†BW
- 85 - Whooping Crane (P92:R100) *M
- 86 - Sandhill Crane (P93:R100) +B†
- 87 - Virginia Rail (P94:R102) +BW
- 88 - Sora (P94:R102) +†B
- 89 - (Yellow Rail) (P95:R102) **
- 90 - (Common Gallinule) (P95:R104) **
- 91 - American Coot (P96:R104) +BW
- 92 - Semipalated P. (P100:R112) +†M
- 93 - (Piping Plover) (P100:R112) *b
- 94 - (Snowy Plover) (P100:R112) **M
- 95 - Kildeer (P101:R112) +BW
- 96 - Mountain P. (P101:R110) +†B
- 97 - Am. Golden P. (P101:R110) +†M
- 98 - Black-bellied P. (P104:R110) +†M
- 99 - (Ruddy Turnstone) (P104:R120) +†M
- 100 - (Black T.) (P105:R120) **M
- 101 - Am. Woodcock (R126) **M

102. Common Snipe (P105:R126) +†BW
 103. Long-b. Curlew (P108:R114) +†B
 104. (Whimbrel) (P108:R114) *FM
 105. Upland Sandpiper formerly U. S. (P109:R114) +†B
 106. Spruced S. (P109: R116) +†B
 107. Sol. Sandpiper (P109:R116) +†B
 108. Willet (P110:R118) +†B
 109. G. Yellowlegs (P111:R118) +†B
 110. Lesser Y. (P111:R118) +†B
 111. Red Knot formerly Knot (P111:R122) *FM
 112. Pectoral S. (P112:R122) +†M
 113. White-rumped S. (P112:R124) *FM
 114. Baird's S. (P112:R124) +†M
 115. Least S. (P116:R124) +FM
 116. (Curlew S.) (P340:R122) **
 117. Dunlin (P116:R122) *+FM
 118. (Short-b. Dowitcher) (P117:R118) *M
 119. L.-backed Dowitcher (P117:R118) +†M
 120. Stilt S. (P117:R118) †M
 121. Semipalmented S. (P120:R126) +†M
 122. W. Sandpiper (P121:R124) +†M
 123. Red-breasted S. (P121:R116) **
 124. Marbled Godwit (P121:R114) +†MB
 125. Hudsonian G. (P122:R114) **
 126. Sanderling (P122:R122) †M+
 127. Am. Avocet (P123:R108) +†B
 128. (Black-n. Stilt) (P123:R108) +†M
 129. (Red Phalarope) (P124:R126) *FM
 130. Wilson's Phal. (P124:R126) +†B
 131. N. Phalarope (P124:R126) +†M
 132. (Pomarine Jaeger) (P125:R130) **
 133. (Parasitic Jaeger) (P125:R130) **
 134. Long-tailed Jaeger (P126:R130) +†
 135. (Glaucous Gull) (P127:R132) **
 136. Herring G. (P130:R134) +†B
 137. California G. (P130:R134) +†B
 138. Ring-billed G. (P131:R136) +†B
 139. Franklin's G. (P132:R138) +†B
 140. Bonaparte's G. (P133:R138) †M
 141. Sabine's G. (P135:R138) *†
 142. Forster's Tern (P136:R142) †M+B
 143. Common T. (P136:R142) +†B
 144. Caspian T. (P140:R144) *IM
 145. Black T. (P141:R164) +†B
 146. Ancient Murrelet (P145:R152) **
 147. (Bland-tailed Pigeon) (P149:R154) +†
 148. Rock Dove (pigeon) (P145:R154) +†BW
 149. Mourning D. (P153:R154) +†BW
 150. Passenger P. (extinct)
 151. Yellow-b. Cuckoo (P155:R158) *†
 152. Black-billed C. (P155:R158) +†B
 153. Barn Owl (P156:R162) +†B
 154. Screech Owl (P157:R160) +†BW
 155. Flammulated Owl (P157:R160) **
 156. Great Horned O. (P158:R160) +†BW
 157. Snowy O. (P159:R162) *+W
 158. Hawk O. (P159:R164) *†
 159. Pygmy O. (P160:R166) +†BW
 160. Burrowing O. (P162:R164) +†B
 161. Barred O. (P162:R163) +†B
 162. Grey (Spotted O.) (P162:R162) +†BW+
 163. Long-eared O. (P163:R160) +†BW
 164. Short-eared O. (P163:R160) +†BW
 165. Boreal O. (P164:R164) +*W
 166. Saw-whet O. (P164:R164) +†BW
 167. Poor-will (P165:R168) +†B
 168. C. Nighthawk (P165:R168) +†B
 169. Black Swift (P168:R170) +†B
 170. Chimney S. (P169:R170) +†B
 171. Vaux's S. (P170:R170) +†B
 172. White-throated S. (P170:R170) +†B
 173. (R-t. Hummingbird) (P171:R172) **+†
 174. Black-chinned H. (P172:R174) B
 175. Anna's H. (P172:R172) **†
 176. Broad-tailed H. (P173:R172) *†M
 177. Rufous H. (P173:R174) +†B
 178. Hypo (Allen's H.) (P174:R174) +†B
 179. B. Kingfisher (P177:R178) +†BW
 180. Common Flicker formerly Y.-shfted (P178:R180) +†† and R-t-shfted F. (P180:R180) +†BW
 181. Pileated W. (P180:R180) +†BW
182. Red-headed W. (P181:R184) +†B
 183. Lewis' Woodpecker (P184:R184) +†BW
 184. Y.-b. Sapeucker (P184:R184) +†B
 185. Williamson's S. (P185:R184) †B
 186. Hairy W. (P186:R186) +†BW
 187. Downy W. (P186:R186) +†BW
 Hypo (White-headed Wood-pecker) (P187:R184)
 188. Black-backed J-ted W. (P188:R186) +†BW
 189. N. 3-toed W. (P188:R186) +†BW
 190. E. Kingbird (P189:R192) +†B
 191. W. Kingbird (P190:R192) +†B
 192. Cassin's K. (P190:R192) +B
 193. (Great Crested Flycatcher) (P192:R196) +†
 194. (Ash-throated Flycatcher) (P193:R194) *
 195. Say's Phoebe (P194:R196) +†B
 196. Willow Flycatcher "itz-beew" (was Trail's F.) (P195:R198) +†B
 197. Alder Flycatcher "way-bee-o" (was Trail's F.) (P195:R198) +†
 198. Least F. (P195:R198) +†B
 199. Hammond's F. (P196:R200) +†B
 200. Dusky F. (P196:R200) +†B
 201. W. Flycatcher (P197:R200) +†B
 Hypo (E. Wood Pewee) (P200:R202) †
 202. W. Wood P. (P200:R202) +†B
 203. Olive-sided F. (P200:R202) +†B
 204. Horned Lark (P202:R204) +†BW
 205. Violet-green Swallow (P203:R206) +†B
 206. Tree S. (P203:R206) +†B
 207. Bank S. (P204:R206) +†B
 208. Rough-winged S. (P204:R206) +†B
 209. Barn S. (P204:R204) +†B
 210. Cliff S. (P205:R204) +†B
 211. Purple Martin (P205:R206) +†B
 212. Gray Jay (P206:R210) +†BW
 213. Blue Jay (P206:R208) +†
 214. Steller's Jay (P207:R208) +†BW
 215. B.-billed Magpie (P208:R210) +†BW
 216. Common Raven (P209:R212) +†BW
217. Common Crow (P210:R212) +†BW
 218. Pinyon Jay (P210:R208) +†BW
 219. C. Nutcracker (P211:R210) +†BW
 220. E-c Chickadee (P211:R214) +†BW
 221. Mt. Chickadee (P212:R214) +†BW
 222. Boreal C. (P212:R214) †B
 223. Chestnut-backed C. (P213:R214) +†BW
 224. W-b Nuthatch (P217:R220) +†BW
 225. R-breast N. (P217:R220) +†BW
 226. Pygmy N. (P218:R220) +†WB
 227. Brown Creeper (P218:R220) +†BW
 228. Dipper (P219:R218) +†BW
 229. House Wren (P220:R222) +†B
 230. Winter W. (P230:R222) +†B
 231. L-b Marsh W. (P222:R224) +†BW
 232. (S. billed M.V.) (P222:R224) **
 233. Canyon W. (P223:R224) †B
 234. Rock W. (P223:R224) +†BW
 235. Mockingbird (P223:R226) +†
 236. Gray Catbird formerly Catbird (P224:R226) +†B
 237. Brown Thrasher (P224:R226) +†B
 238. Sage T. (P227:R226) +†B
 239. Robin (P227:R230) +†BW
 240. Varied Thrush (P228:R230) +†BW
 241. (Wood Thrush) (P342:R232) **
 242. Hermit T. (P228:R232) +†B
 243. Swainson's T. (P228:R232) +†B
 244. Gray-cheeked T. (P229:R232) *†
 245. Veery (P229:R232) +†B
 246. E. Bluebird (P229:R234) +†B
 247. W. Bluebird (P232:R234) +†BW
 248. Mt. Bluebird (P232:R234) +†BW
 249. T. Solitaire (P233:R230) +†BW
 250. G-c. Kinglet (P235:R236) +†BW
 251. R-crowned K. (P235:R236) +†BW
 252. Water Pipit (P236:R238) +†B
 253. Sprague's P. (P237:R238) +†B
 254. Bohemian Waxwing (P237:R240) +†WB
 255. Cedar W. (P237:R240) +†BW
 Hypo (Phainopepla) (P238:R240)
 256. N. Shrike (P239:R242) +†W
 257. Loggerhead S. (P239:R242) +†B

| | | | | | | | | | | | | |
|-----|---|-------------------------------|-----|---|------------------------------|------|-------------------------------|------|-----|-------------------------------|-------------|----|
| 258 | Starling Int. (P240:R242) | +†BW | 295 | Common Grackle (P273:R282) | | 333 | Brewer's S. (P300:R318) | +†B | 340 | Swamp S. (P305:R322) | +†Mw | |
| 259 | Solitary Vireo (P243:R244) | +B | 296 | B-headed Cowbird (P273:R282) | | 334 | Field S. (P301:R318) | +B | 341 | Song S. (P305:R322) | +†BW | |
| 260 | Red-eyed Vireo (P244:R248) | +†B | 297 | Hypo (Summer Tanager) (P277:R288) | +†B | 335 | Harris' S. (P301:R320) | +†Mw | 342 | McCown's Longspur (P306:R324) | | |
| 261 | Philadelphia V. (P244:R248) | ** | 298 | W. Tanager (P276:R288) | +†B | 336 | White-crowned Sparrow | | 343 | Lapland L. (P306:R324) | +†W | |
| 262 | Warbling V. (P244:R248) | +†B | 299 | Hypo (Summer Tanager) (P277:R288) | | 337 | White-throated S. (P304:R320) | M | 344 | Chestnut-collared Longspur | | |
| 263 | B.&W. Warbler (P245:R252) | **+ | 300 | Rose-b Grosbeak (P279:R292) | † | 338 | Fox Sparrow (P304:R322) | +B | | | (P307:R324) | +B |
| 264 | Tennessee W. (P248:R256) | +†B | 301 | Black-headed G. (P279:R292) | † | 339 | Lincoln's S. (P305:R322) | +†B | 345 | Snow Bunting (P307:R324) | +†W | |
| 265 | Orange-c.w. (P248:R256) | +†B | 302 | Indigo Bunting (P280:R294) | **+ | | | | | | | |
| 266 | Nashville W. (P248:R256) | +†B | 303 | Lazuli Bunting (P280:R294) | +†B | | | | | | | |
| 267 | Yellow W. (P251:R260) | +†B | 304 | Dickcissel (P281:R302) | +†B | | | | | | | |
| 268 | (Magnolia Warbler) (P251:R260) | ** | 305 | Evening G. (P282:R292) | +†BW | | | | | | | |
| 269 | Black-throated Blue Warbler (P343:R264) | ** | 306 | (Purple Finch) (P282:R296) | *M | | | | | | | |
| 270 | Yellow-rumped W. formerly Myrtle W. (P252:R260) | +†M & Audubon' W. (P253:R260) | +†B | 307 | Cassin's Finch (P283:R296) | +†BW | | | | | | |
| 271 | Townsend's W. (P253:R262) | +B | 308 | House Finch (P283:R296) | +B | | | | | | | |
| 272 | (Black-throated Green Warbler) (P254:R263) | ** | 309 | Pine Grosbeak (P284:R296) | +†BW | | | | | | | |
| 273 | Blackackermann W. (P255:R266) | *M | 310 | Gray-crowned Rosy Finch (P284:R298) | +†BW | | | | | | | |
| 274 | Buy-breakout W. (P256:R266) | **M | 311 | Black Rosy F. (P285:R298) | +†BW | | | | | | | |
| 275 | Blowout W. (P256:R298) | *M | 312 | Hoary Redpoll (P285:R298) | *W | | | | | | | |
| 276 | Palm W. (P257:R270) | *M | 313 | Common R. (P285:R298) | +†BW | | | | | | | |
| 277 | Ovenbird (P257:R270) | +†B | 314 | Pine Siskin (P286:R300) | +†BW | | | | | | | |
| 278 | N. Waterthrush (P257:R270) | +†B | 315 | Am. Goldfinch (P286:R300) | +†BW | | | | | | | |
| 279 | Connecticut W. (P258:R272) | ** | 316 | Red Crossbill (P287:R302) | +†BW | | | | | | | |
| 280 | Mourning Warbler (P258:R272) | ** | 317 | White-w. C. (P288:R302) | +W | | | | | | | |
| 281 | MacGillivray's W. (P259:R272) | +†B | 318 | Grn-tailed Towhee (P288:R304) | +†B | | | | | | | |
| 282 | Common Yellowthroat formerly Yellowthroat (P259:R270) | +†B | 319 | Rufous-sided T. (P289:R304) | +†B | | | | | | | |
| 283 | Y-breasted Chat (P259:R270) | +†B | 320 | Lark Bunting (P290:R312) | +†B | | | | | | | |
| 284 | Wilson's W. (P260:R274) | +†B | 321 | Savannah Sparrow (P290:R306) | +†B | | | | | | | |
| 285 | Am. Redstart (P261:R274) | +†B | 322 | Grasshopper S. (P290:R308) | +†B | | | | | | | |
| 286 | House Sparrow Int. (P264:R278) | +†BW | 323 | Baird's S. (P291:R308) | +†B | | | | | | | |
| 287 | Bobolink (P265:R278) | +†B | 324 | LeConte's S. (P291:R310) | +B | | | | | | | |
| 288 | W. Meadowlark (P265:R278) | +†BW | 325 | Sharp-tailed S. (P292:R310) | ** | | | | | | | |
| 289 | Yellow-headed B. (P268:R280) | +†B | 326 | Vesper Sparrow (P292:R312) | +†B | | | | | | | |
| 290 | Red-winged B. (P268:R280) | +†BW | 327 | Lark Sparrow (P292:R312) | +†B | | | | | | | |
| 292 | (Orchard Oriole) (P269:R284) | +B | 328 | (Black-throated S.) (P296:R312) | ** | | | | | | | |
| 292 | Northern Oriole (P271:R286) | +†B | 329 | (Sage Sparrow) (P296:R312) | * | | | | | | | |
| 293 | Baltimore Oriole (P271:R286) | +†B | 330 | Dark-eyed Junco formerly White-w. Junco (P297:R314) | +†BW | | | | | | | |
| 293 | and Bullock's O. (P271:R286) | +†B | 331 | +†Bw and Slate-colored Junco (P298:R314) | +† and Oregon J. (P298:R314) | +†BW | | | | | | |
| 294 | Rusty Blackbird (P272:R280) | +†W | 332 | Gray-headed J. (P298:R314) | **† | | | | | | | |
| 294 | Brewer's B. (P272:R280) | +†BW | 333 | Tree Sparrow (P299:R318) | +†W | | | | | | | |
| | | | 334 | Chipping S. (P299:R318) | +†B | | | | | | | |
| | | | 335 | Clay-colored S. (P300:R318) | +†B | | | | | | | |

MONTANA REPTILES

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Distribution and Occurrence</u> |
|---------------------------|--------------------------------|--|
| Snapping turtle | <i>Chelydra serpentina</i> | Occupies slow or still waters in eastern Montana. |
| Painted turtle | <i>Chrysemys picta</i> | Lakes and ponds. Abundant statewide. |
| Spiny softshell | <i>Trionyx spiniferus</i> | Rivers of southeastern Montana. |
| Sagebrush lizard | <i>Sceloporus graciosus</i> | Sagebrush areas of southeastern Montana. |
| Short-horned lizard | <i>Phrynosoma douglassi</i> | Drier habitat types east of the divide. |
| Western skink | <i>Eumeces skiltonianus</i> | Dry rocky areas in extreme western Montana. Abundant. |
| Northern alligator lizard | <i>Gerrhonotus coeruleus</i> | Woodlands of western Montana. |
| Plains hognose | <i>Heterodon nasicus</i> | Rare. Sand and gravel areas of eastern Montana. |
| Rubber boa | <i>Charina bottae</i> | Common in the western third of Montana. |
| Smooth green snake | <i>Ophiodrys vernalis</i> | Rare. May occur in northeastern Montana. |
| Racer | <i>Coluber constrictor</i> | Occurs statewide in open or semi-open habitats. |
| Bullsnake | <i>Pituophis catenifer</i> | Common in grassland areas over most of the state. |
| Milk snake | <i>Lampropeltis triangulum</i> | Rare. Occupies a variety of habitat types in southern Montana. |
| Common garter snake | <i>Thamnophis sirtalis</i> | Common statewide in or near water. |
| Plains garter snake | <i>Thamnophis radix</i> | Common in prairie lands and near prairie ponds of eastern Montana. |
| Western garter snake | <i>Thamnophis elegans</i> | Occupies a wide variety of habitat types. |
| Prairie rattlesnake | <i>Crotalus viridis</i> | Common statewide. |
| | | Common in dry habitat types in most of the state. |

MONTANA AMPHIBIANS

| Common Name | Scientific Name | Distribution and Occurrence |
|--------------------------|--------------------------------|---|
| Rough-skinned newt | <i>Taricha granulosa</i> | Known only from Sanders County. |
| Pacific giant salamander | <i>Dicamptodon ensatus</i> | Cool, wet habitats. Collected in N. Idaho, may occur in Sanders and Mineral Counties. |
| Long-toed salamander | <i>Ambystoma macrodactylum</i> | Moist habitats. Common west of the divide. |
| Tiger salamander | <i>Ambystoma tigrinum</i> | In or near water. Common throughout Montana east of the divide. |
| Coeur d'Alene salamander | <i>Plethodon vandykei</i> | Moist habitats. Very rare, recorded only for northwestern Montana. |
| Plains spadefoot | <i>Scaphiopus bombifrons</i> | Shortgrass prairie. Common east of the divide. |
| Tailed frog | <i>Ascaphus truei</i> | Mountain streams west of the divide. |
| Western toad | <i>Bufo boreas</i> | Moist areas near water. Common in the western half of Montana. |
| Rocky Mountain toad | <i>Bufo woodhousei</i> | Many habitat types. Common throughout southern Montana. |
| Dakota toad | <i>Bufo hemiophrys</i> | Stable ponds. Occurs along the hi-line east of the divide. |
| Great Plains toad | <i>Bufo cognatus</i> | Occupies various habitat types in eastern half of Montana. |
| Boreal chorus frog | <i>Pseudacris triseriata</i> | Near water areas east of the divide. |
| Spotted chorus frog | <i>Pseudacris clarkii</i> | Collected only near Fort Benton. Introduced? |
| Pacific treefrog | <i>Hyla regilla</i> | Near water areas. Quite common west of the divide. |
| Spotted frog | <i>Rana pretiosa</i> | Depends on permanent water. Common in western half of Montana. |
| Leopard frog | <i>Rana pipiens</i> | Occupies many habitat types. Common statewide. |
| Bullfrog | <i>Rana catesbeiana</i> | Deep water. Introduced to some areas in western Montana. |
| Wood frog | <i>Rana sylvatica</i> | May occur in western Montana, but collection records are lacking. |

MONTANA FISHES

(G) - Game fish

| Common Name | Scientific Name | Distribution and Occurrence |
|---------------------------|---|--|
| (G) White sturgeon | <i>Acipenser transmontanus</i> | Found only in the Kootenai River, below Kootenai falls. |
| (G) Pallid sturgeon | <i>Scaphirhynchus albus</i> | Large streams and reservoirs in the Missouri and Yellowstone drainages. |
| (G) Shovelnose sturgeon | <i>Scaphirhynchus platorynchus</i> | Large streams and reservoirs in the Missouri and Yellowstone drainages. |
| (G) Paddlefish | <i>Polyodon spathula</i> | Large streams and reservoirs in the Missouri and Yellowstone drainages. |
| Shortnose gar Goldeye | <i>Lepisosteus platostomus</i> <i>Hiodon alosoides</i> | Missouri River below Ft. Peck. Common in the Missouri, Yellowstone and Little Missouri drainages. |
| (G) Lake whitefish | <i>Coregonus clupeaformis</i> | Introduced. Occurs in Missouri, Clark's Fork, St. Mary and Belly drainages. |
| (G) Mountain whitefish | <i>Prosopium williamsoni</i> | Abundant in areas near mountains. |
| (G) Pygmy whitefish | <i>Prosopium coulteri</i> | Cold water lakes west of the Continental Divide. |
| (G) Coho salmon | <i>Oncorhynchus kisutch</i> | Introduced to the Clark's Fork and Missouri drainages. |
| (G) Kokanee | <i>Oncorhynchus nerka</i> | Introduced in much of western Montana. Famous for its spawning runs. |
| (G) Golden trout | <i>Salmo aguabonita</i> | Introduced to high mountain lakes. |
| (G) Cutthroat trout | <i>Salmo clarki</i> | Widely distributed, but hybridized with rainbow trout in many locations. |
| (G) Rainbow trout | <i>Salmo gairdneri</i> | Introduced. Occurs nearly statewide. |
| (G) Brown trout | <i>Salmo trutta</i> | Introduced. Occurs nearly statewide. |
| (G) Brook trout | <i>Salvelinus fontinalis</i> | Introduced. Occurs nearly statewide. |
| (G) Dolly Varden | <i>Salvelinus malma</i> | Occurs primarily west of the Continental Divide. Also called "bull trout". |
| (G) Lake trout | <i>Salvelinus namaycush</i> | Deep, cold lakes nearly statewide. Relatively rare. |
| (G) Arctic grayling | <i>Thymallus arcticus</i> | Western and southwestern Montana. Range has been reduced in this century. |
| (G) Northern pike Carp | <i>Esox lucius</i> <i>Cyprinus carpio</i> | Introduced, widely distributed. Introduced to all drainages east of the Continental Divide. |

MONTANA FISHES

(G) - Game fish

| <u>Common Name</u> | <u>Scientific Name</u> | <u>Distribution and Occurrence</u> |
|------------------------|----------------------------------|---|
| Goldfish | <i>Carassius auratus</i> | Introduced to a few scattered locations east of the Continental Divide. |
| Golden shiner | <i>Notemigonus crysoleucas</i> | Introduced to several locations east of the Continental Divide. |
| Pearl dace | <i>Semotilus marginata</i> | Small, cool streams of northern Montana. |
| Creek chub | <i>Semotilus atromaculatus</i> | Rare, found only in east-central Montana. |
| Northern redbelly dace | <i>Phoxinus eos</i> | Occurs throughout much of the Missouri drainage. |
| Finescale dace | <i>Phoxinus neogaeus</i> | Only hybrids with northern redbelly dace have been found. Rare, in Missouri drainage. |
| Utah chub | <i>Gila atraria</i> | Introduced to the Madison River. |
| Flathead chub | <i>Hybopsis gracilis</i> | Abundant throughout much of eastern Montana. |
| Sturgeon chub | <i>Hybopsis gelida</i> | Rare. Found only in the lower Yellowstone. |
| Sicklefin chub | <i>Hybopsis meeki</i> | Missouri River from Cow Island to Ft. Peck Reservoir. |
| Lake chub | <i>Couesius plumbeus</i> | Abundant throughout much of eastern Montana. |
| Peamouth | <i>Mylocheilus caurinus</i> | Common west of the Continental Divide. |
| Emerald shiner | <i>Notropis atherinoides</i> | Common in the Missouri and Yellowstone drainages. |
| Sand shiner | <i>Notropis stramineus</i> | Common in the lower Yellowstone. |
| Brassy minnow | <i>Hybognathus hankinsoni</i> | Occurs primarily in the lower Missouri and Yellowstone drainages. |
| Plains minnow | <i>Hybognathus placitus</i> | Occurs primarily in the lower Missouri and Yellowstone drainages. |
| Silvery minnow | <i>Hybognathus nuchalis</i> | Widely distributed in eastern Montana. |
| Fathead minnow | <i>Pimephales promelas</i> | Widely distributed in eastern Montana. |
| Northern squawfish | <i>Ptychocheilus oregonensis</i> | Large streams and lakes west of the Continental Divide. |
| Longnose dace | <i>Rhinichthys cataractae</i> | Abundant statewide. |
| Redside shiner | <i>Richardsonius balteatus</i> | Abundant west of the Continental Divide. |
| River carp sucker | <i>Carpioles carpio</i> | Fairly common in eastern Montana. |
| Blue sucker | <i>Cycloleptus elongatus</i> | Rare. Missouri River and lower Yellowstone. |
| Smallmouth buffalo | <i>Ictiobus bubalus</i> | Common in Ft. Peck reservoir. |
| Bigmouth buffalo | <i>Ictiobus cyprinellus</i> | Common in Ft. Peck reservoir. |
| Shorthead redhorse | <i>Moxostoma macrolepidotum</i> | Common in eastern Montana. |
| Longnose sucker | <i>Catostomus catostomus</i> | Common statewide. |
| White sucker | <i>Catostomus commersoni</i> | Common east of the Continental Divide. |

MONTANA FISHES

(G) - Game fish

| Common Name | Scientific Name | Distribution and Occurrence |
|---------------------|---------------------------------|---|
| Largescale sucker | <i>Catostomus macrocheilus</i> | Common west of the Continental Divide. |
| Mountain sucker | <i>Catostomus platyrhynchus</i> | Occurs throughout the Missouri and Yellowstone drainages. |
| Black bullhead | <i>Ictalurus melas</i> | Introduced statewide. |
| Yellow bullhead | <i>Ictalurus natalis</i> | Introduced to two widely separated sites. |
| (G) Channel catfish | <i>Ictalurus punctatus</i> | Common in most of eastern Montana. |
| Stonecat | <i>Noturus flavus</i> | Occurs throughout eastern Montana. |
| Trout-perch | <i>Percopsis omiscomaycus</i> | Rare. Found only in lower St. Mary lake. |
| (G) Burbot | <i>Lota lota</i> | Common in most drainages except the Clark's Fork. |
| Plains killifish | <i>Fundulus kansae</i> | Introduced to the Big Horn River in Wyoming, from where it moved downstream to Montana. |
| Mosquitofish | <i>Gambusia affinis</i> | Introduced in Granite and Cascade counties. |
| Shortfin molly | <i>Poecilia mexicana</i> | Introduced in Madison County. |
| Variable platyfish | <i>Xiphophorus variatus</i> | Introduced in Beaverhead, Madison and Granite Counties. |
| Green swordtail | <i>Ziphiophorus helleri</i> | Introduced in Madison County. |
| Brook stickleback | <i>Culaea inconstans</i> | tributaries of the Missouri and lower Yellowstone. |
| Rock bass | <i>Ambloplites rupestris</i> | Introduced to the Tongue River in Wyoming from whence it moved downstream to Montana. |
| Green sunfish | <i>Lepomis cyanellus</i> | Invaded from the Dakotas to extreme eastern Montana. |
| Punkinseed | <i>Lepomis gibbosus</i> | Introduced to many scattered locations statewide. |
| Bluegill | <i>Lepomis macrochirus</i> | Introduced to many scattered locations statewide. |
| (G) Smallmouth bass | <i>Micropterus dolomieu</i> | Introduced to a few lakes in northwestern Montana. |
| (G) Largemouth bass | <i>Micropterus salmoides</i> | Introduced to many scattered locations statewide. |
| White crappie | <i>Pomoxis annularis</i> | Introduced to the eastern third of the state. |
| Black crappie | <i>Pomoxis nigromaculatus</i> | Introduced throughout eastern Montana. |
| Yellow perch | <i>Perca flavescens</i> | Introduced to many locations statewide. |
| (G) Sauger | <i>Stizostedion canadense</i> | Common in the lower reaches of the Missouri and Yellowstone Rivers. |
| (G) Walleye | <i>Stizostedion vitreum</i> | Introduced throughout most of the Missouri and Yellowstone drainages. |

MONTANA FISHES

(G) - Game fish

| Common Name | Scientific Name | Distribution and Occurrence |
|-------------------|------------------------------|--|
| Iowa darter | <i>Etheostoma exile</i> | Limited to northeastern Montana. |
| Freshwater drum | <i>Aplodinotus grunniens</i> | Confined to the lower Missouri and Yellowstone Rivers. |
| Mottled sculpin | <i>Cottus bairdi</i> | Occurs in mountain streams west of the Continental Divide. |
| Slimy sculpin | <i>Cottus cognatus</i> | Occurs in mountain streams west of the Continental Divide. |
| Torrent sculpin | <i>Cottus rhotheus</i> | Restricted to the Kootenai drainage. |
| Shorthead sculpin | <i>Cottus confusus</i> | Rare. Occurs in northwestern Montana. |
| Spoonhead sculpin | <i>Cottus ricei</i> | Rare. Occurs in the St. Mary drainage. |



